# **SAFETY DATA SHEET**





Date of Issue: 17. 08. 2023 Version number: 1 No. of pages: 11

Revision date: Replaces version: -

Product name: FORTEKRYL NAPOUSTEDLO NA DREVO

1. Section 1: Identification of substance/mixture and of the company/undertaking

The product is not a nanoform, nor does it contain any nanoforms.

UFI code: 1WG5-QTDH-Y614-D08S

1.2 Relevant identified uses of the substance or mixture and uses advised against:

1.2.1 Relevant identified use:

Product identifier:

1.1

Life cycle phases: PW (wide use by professionals - basic)

C (consumer use)

Usage Name: SU0

Other usage description: Impregnating features esp. for wood and wood-based substrates with

fungicidal and insecticidal protection, type 8.

FORTEKRYL NAPOUŠTĚDLO NA DŘEVO

Market description: PC8; PC9a; PC15

Contributing Activity Name: spraying techniques in industrial factories

roller or brush application

non-industrial spraying techniques

treatment of articles by dipping and pouring

Contributing activities descriptor: PROC7

PROC10 PROC11 PROC13

More information: technical function of the product in Impregnating features esp. for

this use:

wood and wood-based substrates with fungicidal and insecticidal

protection, type 8.

quantity to use: 0 - 10 t / yr
Regulatory status by use: No

a limited number of devices for this No

use:

the subsequent period of use

relevant to this use:

24 months

an overview of environmental release categories for each life ERC10a; ERC11a; ERC12a

cycle stage:

supplied as a mixture

all other uses

1.3 Details of the supplier of the safety data sheet:

Uses advised against:

Producer and supplier: AUSTIS a. s.

Adress: K Austisu 680, 154 00 PRAHA 5 - Slivenec

 Telephone number:
 +420 251 099 111

 Fax:
 +420 251 099 112

 e-mail
 austis@austis.cz

1.4 Emergency telephone number: +420 251 099 247 +420 725 491 378

Centre of the Toxicologicaly information Na Bojišti 1, 120 00 Prague Tel.: +420 224 919 293

2, CZ

1.2.2

2. Section 2: Hazard identification

2.1 Classification of the substance or mixture

Classification under Regulation 1272/2008/EU Eye Irrit. 2; H319

Aquatic Acute 1; H400 Aquatic Chronic 1; H410

2.2 Label elements

Symbols:

GHS07

**GHS09** 

Signal word:

Biocidal active substance:

Precautionary Statement:

warning

3-iodo-2-propynyl butylcarbamate 9 g/1 kg of product

tebuconazol (ISO) permethrin (ISO) N-Didecyl-N-dipoly-

2,5 g/1 kg of product 1 g/1 kg of product ethoxyammonium 0,625 g/1 kg of product

borate/Didecylpolyoxethylammonium borate (Polymeric betaine)

Read attached instructions before use. Use biocides safely. Always read the label and product information before use.

Hazard Statement: H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

P102: Keep out of reach of children. P273: Avoid release into the environment.

P280: Wear protective gloves/protective clothing/eye protection/ face

protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. P391: Collect spillage.

P501: Dispose of contents/container by incineration in an incinerator or dispose of hazardous waste in landfills for hazardous waste.

2.3 Other hazards: The mixture does not meet criteria to be classified as PBT or vPvB

substances. The mixture is not endocrine disruptor, nor does it

contain any.

EUH208: It contains a 3-iodo-2-propynyl butylcarbamate (ES: 259-627-5), 1,2-benzoisothiazol-3(2H)-one (ES: 220-120-9) and permethrin (ISO) (ES: 258-067-9). May cause an allergic reaction.

EUH210: A safety data sheet is available on request.

(2-methoxymethyl

ethoxy)propanol

< 5

3. Section 3: Composition / information on ingredients

A mixture of an aqueous emulsion of alkyd resins, biocidally active substances and additives

3.2 Mixtures

Other risks:

Chemical name:

Content [%]: Index number:

Not Assigned 616-212-00-7 34590-94-8 55406-53-6 CAS: EC number (EINECS): 252-104-2 259-627-5 01-2119450011-60-00XX **REACH Registration number:** 01-2120762115-60-0XXX

Classification according to Directive 1272/2008/EU: Not Assigned Acute Tox. 3: H331

Acute Tox. 4; H302 STOT RE 1; H372 (hrtan) Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400

> Aquatic Chronic 1; H410 M=10 (acute)

3-iodo-2-propynyl

butylcarbamate

< 0.9

Specific concentration limits, M-factors: Not Assigned M=1 (chronic)

> Established Exposure limit EH40/2005 (WELs)

Chemical name: 2-(2-butoxyethoxy)ethanol Tebuconazole (ISO)

Content [%]: < 0.28 ≤ 0.25 Index number: 603-197-00-7 603-096-00-8 CAS: 107534-96-3 112-34-5 EC number (EINECS): 203-961-6 403-640-2 **REACH Registration number:** 01-2119475104-44-0XXX 01-0000015329-67-0XXX Classification according to Directive 1272/2008/EU: Eye Irrit. 2; H319 Acute Tox. 4; H302

Repr. 2; H361d Aquatic Acute 1; H400

Aquatic Chronic 1; H410

Not Assigned M=1 (acute) Specific concentration limits, M-factors:

M=10 (chronic)

2-ethylhexanoic acid, zirconium Fatty alcohol polyglycol ether 6-Chemical name: 15 EO salt

Content [%]: < 0.25 < 0.25 Index number: Not Assigned Not Assigned CAS: 22464-99-9 106232-83-1 EC number (EINECS): 245-018-1 500-294-5 **REACH Registration number:** 01-2119979088-21-00XX Not Assigned

Classification according to Directive 1272/2008/EU: Repr. 2; H361d Acute Tox. 4 (\*); H302 Eye Dam. 1; H318 Aquatic Acute 1; H400

Specific concentration limits, M-factors: Not Assigned Not Assigned

Chemical name: permethrin (ISO) N-Didecyl-N-dipoly-

ethoxyammonium borate/Didecylpolyoxethylammonium borate (Polymeric betaine)

Content [%]: ≤ 0,1 ≤ 0,0625 Index number: 613-058-00-2 Not Assigned CAS: 52645-53-1 214710-34-6 EC number (EINECS): 258-067-9 695-923-4 **REACH Registration number:** Not Assigned Not Assigned Classification according to Directive 1272/2008/EU: Acute Tox. 4 (\*); H332 Acute Tox. 4 (\*); H302 Acute Tox. 4 (\*); H302 Skin Corr. 1B; H314

Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 Aquatic Chronic 1; H410

Specific concentration limits, M-factors: M = 1000

Not Assigned Chemical name: 1,2-benzoisothiazol-3(2H)-one

< 0.025

Content [%]: Index number: 613-088-00-6 CAS: 2634-33-5 EC number (EINECS): 220-120-9 **REACH Registration number:** 01-2120761540-60-0XXX

Classification according to Directive 1272/2008/EU: Acute Tox. 4 (\*); H302

Skin Irrit. 2; H315 Eye Dam. 1; H318

Skin Sens. 1; H317 Aquatic Acute 1; H400

C ≥ 0,05 %: Skin Sens. 1; H317 Specific concentration limits, M-factors:

M=10 (acute)

Full text of H - phrases in Section 16

#### 4. Section 4: First aid measures

#### 4.1 Description of first aid measures

When providing first aid it is necessary to ensure safety of both victim and person rescuing. It is necessary to avoid chaotic behavior. Victim must be kept in mental and physical rest. Victim must be kept warm and must not get chilled. Take original container with label or safety data sheet with information about substance or mixture with you in case of medical examination.

Inhalation: Break exposure, move to fresh air protecting the victim from cold. Provide medical treatment especially if coughing, shortness of breath or other symptoms persist.

When on skin: Put away contaminated clothes and shoes, wash the contaminated spot with plenty of tepid water; if the skin is not irritated, soap can be used; seek doctor's advice, especially if the skin stays irritated.

Eye Contact: Rinse eyes with plenty of water (10 to 15 min). Keep eyes open (even by force if necessary). If the victim is wearing contact lenses remove them immediately. Seek medical attention.

Ingestion: Do not induce vomiting! Drink at least 0.5 liters of water with 5 to 10 tablets of crushed charcoal. In case of nausea contact the Toxicology Information Centre for need of medical treatment with information about composition of the mixture from the original container or SDS

4.2 Most important symptoms and effects, both acute and delayed

The product may have adverse effects through inhalation and if swallowed. It can irritate skin, mucous membranes and eyes,

4.3 Indication of any immediate medical attention and special treatment needed:

Symptomatic treatment

## 5. Section 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: The product is not inflammable. Water spray (water mist), foam, carbon dioxide, dry powder.

Unsuitable extinguishing media: The strong water current. It can be spread fire.

- 5.2 Specific danger linked to the substance or mixture: Burning may produce carbon oxides and NOx.
- 5.3 Advice for firefighters: wear a breathing apparatus and protective clothing.

### 6. Section 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Appropriate protective gloves, goggles, appropriate clothing, or respirator.
- 6.1.1 For workers except for those intervening in emergency cases instructions in case of accidental spill and leak of substance or mixture:
  - a) use of appropriate protection (including personal protective equipment according to part 8 BL), in order to avoid any skin, eyes or personal
  - b) removing possible sources of ignition, providing proper ventilation, control of dust not relevant
  - c) emergency measures, for example necessary evacuation from dangerous area or consultation with an expert not relevant
- 6.1.2 For workers intervening in emergency cases instructions for appropriate materials of personal protective suits (see part 8 BL)
- 6.2 Environmental precautions: Prevent environmental pollution leakage into drains, surface water, groundwater or soil.
- 6.3 Methods and material for containment and cleaning up: Anchor suitable absorbent, transfer to the disposal of the authorized person.
- 6.3.1 Instructions for leak limitation of spilled substance or mixture
  - a) enclose the spilled mixture, cover the canalization;
  - b) seal the damaged package
- 6.3.2 Instructions for removal of spilled substance or mixture

Absorb with appropriate agent, hand over to authorized person for disposal.

6.4 Reference to other sections: See also section 7., 8 and 13.

# 7. Section 7: Handling and storage

- 7.1 Measures for safe manipulation:
- 7.1.1 Recomendations:
  - a) Workers handeling the product have to get familiar with health and safety rules for work and have to obey these rules. Secure escape routs (enclosing of leaked mixture, sealing of demaged packages and so on), for fire prevention (remove ignition sources, non-sparkling tools and so on) and limit the production of aerosol and dust.
  - b) Obey measures for prevention of manipulation with incompatible substances or mixtures (see part 10) in common areas.
  - c) Store in original closed packages in temperature from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources.
  - d) Prevent the contamination of environment, i.e. leak into canalization, surface or underground water and soil.
- 7.1.2 Instructions for general hygiene of work:
  - a) Do not eat, drink or smoke on work areas.
  - b) After working with product wash your hands with soap and water, eventualy use regeneration hand cream.
  - c) Before entering dining areas, remove contaminated clothing and protective equipment.
- 7.2 Conditions for safe storage of substances and mixtures including incompatible substances and mixtures: Store in dry and well-ventilated storages in original closed packages in temperatures from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources. Prevent any contact with oxidazing substances, strong acids and bases. Do not store with food, drinks and feed. The product is not a flamable liquid according to ČSN 65 0201.
- 7.3 Specific end use: see part 1.2; coating procedure and recomendations are listed in technical list of the product, or in other product documentation.

Control parameters: Exposure limits EH40/2005 (WELs): Chemical name: (2-methoxymethyl 2-(2-butoxyethoxy) ethanol ethoxy)propanol 34590-94-8 112-34-5 CAS: 308 / 50 Long-term exposure limit [mg/m<sup>3</sup>] / ppm (TWA/8 h) 67,5 / 10 Short-term exposure limit [mg/m<sup>3</sup>] / ppm (15 minut) -/-101,2 / 15 Can be absorbed through the skin. Not Assigned The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. (2-Methoxymethylethoxy)propanol (ES: 252-104-2): DNEL (Workers, Hazard via inhalation route, Systemic effects, Long 308 mg/m<sup>3</sup> term exposure) DNEL (Workers, Hazard via dermal route, Systemic effects, Long 283 mg/kg bw/day term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long 2850 mg/kg bw/day term exposure) DNEL (General Population, Hazard via inhalation route, Systemic 37.2 ma/m<sup>3</sup> effects, Long term exposure) DNEL (General Population, Hazard via dermal route, Systemic 121 mg/kg bw/day effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic 2035 mg/kg bw/day effects, Long term exposure) DNEL (General Population, Hazard via oral route, Systemic effects, 36 mg/m<sup>3</sup> bw/day Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, 1000 mg/kg bw/day Long term exposure) 19 mg/L PNEC aqua (freshwater) PNEC aqua (marine water) 1,9 mg/L PNEC STP 4168 mg/L 70,2 mg/kg sediment dw PNEC sediment (freshwater) PNEC sediment (marine water) 7,02 mg/kg sediment dw PNEC soil 2,74 mg/kg soil dw 2-(2-butoxyethoxy)ethanol (ES: 203-961-6) DNEL (Workers, Hazard via inhalation route, Systemic effects, Long 67,5 mg/m<sup>3</sup> term exposure) DNEL (Workers, Hazard via inhalation route, Systemic effects, 101,2 mg/m<sup>3</sup> Acute/short term exposure) 83 mg/kg bw/day DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) NOAEL (Workers, Hazard via dermal route, Systemic effects, Long 2000 mg/kg bw/day term exposure) DNEL (General Population, Hazard via inhalation route, Systemic 40,5 mg/m<sup>3</sup> effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic 60,7 mg/m<sup>3</sup> effects, Acute/short term exposure) DNEL (General Population, Hazard via dermal route, Systemic 50 mg/kg bw/day effects, Long term exposure) NOAEL (General Population, Hazard via dermal route, Systemic 2000 mg/kg bw/day effects, Long term exposure) DNEL (General Population, Hazard via oral route, Systemic effects, 5 mg/kg bw/day Long term exposure) NOAEL (General Population, Hazard via oral route, Systemic effects, 200 mg/kg bw/day Long term exposure) 1,1 mg/L PNEC aqua (freshwater) PNEC agua (marine water) 0,11 mg/L PNEC STP 200 mg/L PNEC sediment (freshwater) 4,4 mg/kg sediment dw

8.

8.1

Section 8: Exposure controls / personal protection

PNEC sediment (marine water)	0,44 mg/kg sediment dw
PNEC soil	0,32 mg/kg soil dw
PNEC oral (Hazard for predators)	56 mg/kg food
2-ethylhexanoic acid, zirconium salt (ES: 245-018-1):	
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long	32,97 mg/m <sup>3</sup>
term exposure)	
NOAEC (Workers, Hazard via inhalation route, Systemic effects,	126,95 mg/m <sup>3</sup>
Long term exposure)	
DNEL (Workers, Hazard via dermal route, Systemic effects, Long	6,49 mg/kg bw/day
term exposure)	400 ///
NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	100 mg/kg bw/day
DNEL (General Population, Hazard via inhalation route, Systemic	8,13 mg/m <sup>3</sup>
effects, Long term exposure)	8,13 mg/m
NOAEC (General Population, Hazard via inhalation route, Systemic	62,61 mg/m <sup>3</sup>
effects, Long term exposure)	02,01 mg/m
DNEL (General Population, Hazard via dermal route, Systemic	3,25 mg/kg bw/day
effects, Long term exposure)	
NOAEL (General Population, Hazard via dermal route, Systemic	100 mg/kg bw/day
effects, Long term exposure)	
DNEL (General Population, Hazard via oral route, Systemic effects,	4,51 mg/m³ bw/day
Long term exposure)	
NOAEL (General Population, Hazard via oral route, Systemic effects,	138,89 mg/kg bw/day
Long term exposure)	0.26 ma/l
PNEC aqua (freshwater)	0,36 mg/L
PNEC aqua (marine water)	0,036 mg/L
PNEC STP	71,7 mg/L
PNEC sediment (freshwater)	6,37 mg/kg sediment dw
PNEC sediment (marine water)	0,637 mg/kg sediment dw
PNEC soil	1,06 mg/kg soil dw
3-iodo-2-propynyl butylcarbamate (ES: 259-627-5):	
<b>3-iodo-2-propynyl butylcarbamate (ES: 259-627-5):</b> DNEL (Workers, Hazard via inhalation route, Systemic effects, Long	0,023 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	•
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) NOAEC (Workers, Hazard via inhalation route, Systemic effects,	0,023 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	1,16 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via inhalation route, Systemic effects,	•
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure) DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC aqua (marine water)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC aqua (marine water)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC stp	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC sediment (freshwater)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L 0,017 mg/kg sediment dw
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC sediment (freshwater)  PNEC sediment (freshwater)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L 0,017 mg/kg sediment dw 0,002 mg/kg sediment dw
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC sediment (freshwater)  PNEC sediment (freshwater)  PNEC sediment (marine water)  PNEC soil	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L 0,017 mg/kg sediment dw 0,002 mg/kg sediment dw
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC sediment (freshwater)  PNEC sediment (marine water)  PNEC sediment (marine water)  PNEC soil  1,2-benzoisothiazol-3(2H)-one (ES:220-120-9):  DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L 0,017 mg/kg sediment dw 0,002 mg/kg sediment dw 0,005 mg/kg soil dw 6,81 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC aqua (marine water)  PNEC sediment (freshwater)  PNEC sediment (marine water)  PNEC soil  1,2-benzoisothiazol-3(2H)-one (ES:220-120-9):  DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L 0,017 mg/kg sediment dw 0,002 mg/kg sediment dw 0,005 mg/kg soil dw 6,81 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC aqua (marine water)  PNEC sediment (freshwater)  PNEC sediment (marine water)  PNEC soil  1,2-benzoisothiazol-3(2H)-one (ES:220-120-9):  DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L 0,017 mg/kg sediment dw 0,002 mg/kg sediment dw 0,005 mg/kg soil dw 6,81 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC aqua (freshwater)  PNEC sediment (freshwater)  PNEC sediment (freshwater)  PNEC sediment (marine water)  PNEC soil  1,2-benzoisothiazol-3(2H)-one (ES:220-120-9):  DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L 0,017 mg/kg sediment dw 0,002 mg/kg sediment dw 0,005 mg/kg soil dw 6,81 mg/m <sup>3</sup>
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC aqua (freshwater)  PNEC sediment (freshwater)  PNEC sediment (freshwater)  PNEC sediment (marine water)  PNEC soil  1,2-benzoisothiazol-3(2H)-one (ES:220-120-9):  DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	1,16 mg/m³  0,07 mg/m³  1,16 mg/m³  1,16 mg/m³  2 mg/kg bw/day  200 mg/kg bw/day  0,001 mg/L  0,44 mg/L  0,017 mg/kg sediment dw  0,002 mg/kg sediment dw  0,005 mg/kg soil dw  6,81 mg/m³  1,966 mg/kg bw/day
DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)  DNEL (Workers, Hazard via inhalation route, Local effects, Long term exposure)  NOAEC (Workers, Hazard via inhalation route, Local effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)  PNEC aqua (freshwater)  PNEC aqua (freshwater)  PNEC sediment (freshwater)  PNEC sediment (freshwater)  PNEC sediment (marine water)  PNEC soil  1,2-benzoisothiazol-3(2H)-one (ES:220-120-9):  DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  NOAEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)  DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	1,16 mg/m <sup>3</sup> 0,07 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 1,16 mg/m <sup>3</sup> 2 mg/kg bw/day 200 mg/kg bw/day 0,001 mg/L 0 mg/L 0,44 mg/L 0,017 mg/kg sediment dw 0,002 mg/kg sediment dw 0,005 mg/kg soil dw 6,81 mg/m <sup>3</sup>

DNEL (General Population, Hazard via inhalation route, Systemic 1,2 mg/m<sup>3</sup>

effects, Long term exposure)

NOAEL (General Population, Hazard via inhalation route, Systemic 69 mg/m<sup>3</sup>

effects, Long term exposure)

NOAEC (General Population, Hazard via inhalation route, Systemic 60 mg/m<sup>3</sup>

effects, Long term exposure)

DNEL (General Population, Hazard via dermal route, Systemic 0,345 mg/kg bw/day

effects, Long term exposure)

NOAEL (General Population, Hazard via dermal route, Systemic 69 mg/kg bw/day

effects, Long term exposure)

PNEC aqua (freshwater) 4,03  $\mu$ g/L PNEC aqua (marine water) 0,403  $\mu$ g/L PNEC STP 1,03  $\mu$ g/L

PNEC sediment (freshwater) 49,9  $\mu$ g/kg sediment dw PNEC sediment (marine water) 4,99  $\mu$ g/kg sediment dw

PNEC soil 3 mg/kg soil dw

8.2 Exposure controls

Ensure adequate ventilation. Ensure protective equipment is worn while working with the product. Contaminated work clothes can be reused after thorough cleaning. Wash your hands and face with soap and water after use. Do not eat, drink or smoke while working with the product.

- 8.2.1 Appropriate engineering controls: Observe the usual precautions to protect the health and well-ventilated.
- 8.2.2 Individual protection measures, such as personal protective equipment:

Occupational exposure is governed by Directive 89/686/EEC therefore any use of personal protective equipment must be in accordance with this Regulation.

- a) Eyes and face protection: Suitable safety goggles (EN 166), face shiled.
- b) Skin protection: Common safety clothing with long sleave and shoes; take of the contaminated clothing and wash your skin with soap and water.
- b-1) Hands protection: suitable protective gloves (made from rubber according to EN 374), wash your hands with soap and water after work, use reparing hand cream.
- c) Airways protection: with proper area ventilation not required. When spraying, face half-shiled is recomended for gass filtration (EN 405) or quarter-shiled with gass filter (EN 140, EN 141).
- d) Heat hazard: Special attention must be paid to construction of personal protective measures, when specifying protective measures for protection against materials, which are considered to be heat hazard. Not relevant for this product.
- 8.2.3 Environmental exposure controls: Avoid infiltration of surface and groundwater and soil.

### 9. Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

a) State low viscosity liquid b) Color white to yellowish liquid

c) Odour: characteristic
Odor threshold: Not specified
d) Melting/Freezing point (temperature range) (°C): approximately 0

e) Boiling point or initial boiling point and boiling range (°C)

approximately 100

f) Combustibility: non-flammable liquid

g) Explosion limints: upper limit (% volume):

Not specified
Not specified
h) Point of ignition:

Not specified

i) Temperature of self-ignition:

Not specified
j) Temperature of decomposition (°C):

Not specified
7,5 - 9,5

k) pH 7,5 - 9,5

I) Kinematic viscosity: Not specified m) Solubility (23 °C)

- with water: unlimited miscibility with water

- with fats:

Not specified

n) Partition coefficient n - octanol/water:

Not specified

Not specified

2,3 kPa

p) Density and/or relative density (20 °C): approximately 1,0 g.cm<sup>-3</sup>

q) Relative viscosity of steam (at °C): Not specified r) Particles characteristics: Not specified

9.2 Other information:

9.2.1 is not relevant Information about class of physical hazard:

9.2.2 Other safety characteristics

Evaporation rate: Not specified Dynamic viscosity: Not specified Explosive properties: Not specified Oxidizing properties: Not specified

VOC (q/L)

Time required for biocidal effect: min. 8 hours after the last layer is applied

#### 10. Section 10: Stability and reactivity

Product is stable under recommended storage and handling conditions.

- 10.1 Reactivity: Product is not reactive under recommended storage and handling conditions.
- 10.2 Chemical stability: Product is stable under recommended storage and handling conditions.
- 10.3 Possibility of hazardous reactions: In case of contact with substances reacting dangerously with water.
- 10.4 Conditions to avoid: Temperatures below 0 °C and above 100 °C cause degradation of the product. Temperatures above recommended storage temperature reduce life of the product.
- Incompatible materials: Substances reacting with water. 10.5
- 10.6 Hazardous Decomposition Products: Carbon oxides and NOx may form during burning.

#### 11. Section 11: Toxicological information

- LD<sub>50</sub>, oral, rat (mg.kg<sup>-1</sup>):

b) corrosivity/skin irritation:

e) germ cells mutagenicity:

g) toxicity for reproduction:

j) hazards while inhaled:

Human experience:

Tests on animals:

11.1.2

f) carcinogenicity:

c) serious eye damage / eyes irritation:

d) sensitivity of airways / sensitivity of skin:

h) toxicity for specific organs - single exposure:

i) toxicity for specific organs - multiple exposures:

11.1 Information about hazard classes acording to (ES) č. 1272/2008

- LC<sub>50</sub>, inhalation, rat, for gases and vapours (mg.kg<sup>-1</sup>):

a) Acute toxicity:

for the mixture is not determined

the classification cirteria are not met based on avilable information

**IPBC** Permethrin 300 - 500 > 2000 > 2000 - LD<sub>50</sub>, dermal, rat or rabbit (mg.kg<sup>-1</sup>): > 2000 Not Assigned > 0.6 / 4 h- LC<sub>50</sub>, inhalation, rat, for aerosols or particles (mg.kg<sup>-1</sup>):

> the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information Causes serious eye irritation.

> the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information No detrimental effects were found upon compliance with the prescribed safety measures.

Were not performed

11.1.1 Information for each hazard class or breakdown: see above Toxicological properties of mixture not avilable see part 8

(2-Methoxymethylethoxy) propanol (ES: 252-104-2), 2- (2butoxyethoxy) ethanol (ES: 203-961-6), 2-ethylhexanoic acid, zirconium salt (ES: 245-018-1), 3-iodo-2-propynyl N-butyl carbamate (ES: 259-627-5) and 1,2-benzoisothiazol-3 (2H) -one (ES: 220-120-9)

11.1.3 If enough information from substance/mixture trials exist, it might be necessary to sum up results of used studies, for example according

to exposure run

11.1.4 If the classification criteria are not met for specific hazard class, information explaining the justification should be stated.

11.1.5 Information about likely exposure run

11.1.6 Symptoms corresponding to physical, chemical and toxicological features

Belated and immediate effects and chronical effects of short/long 11.1.7 term exposure

not relevant

relevant concentration limits were not exceeded

no effects on human health are known no effects on human health are known

no effects on human health are known

11.1.8 Interactive effects unknown 11.1.9 Lack of specific data not relevant 11.1.10 Mixtures see part 8

11.1.11 Mixtures information compared to substance information

- 1) Substances in the mixture can react with each other inside of a body and can cause different levels of absorption, metabolism and
- 2) It is necessary to consider, if concentration of each substance is sufficient to contribute to mixture's effects on health. For each substance
- a) if the information are doubled, they are listed only once for a substance as a whole, for example when two different substances are causing vomiting and diarrhea;

Not relevant for this mixture.

b) if it is not likely the effects will appear with current concentrations, for example when weak irritating substance is disolved in non-irritating solution to a level under certain concentration;

Not relevant for this mixture.

**IPRC** 

c) if the information about mutual effects of substances in the mixture see part 8 are unavilable, no assumptions will be listed and instead effects on healtf of each substance will be listed.

None

11.1.12 Additional data:

11.2 Other hazards information

11.2.1 Features causing disruption of endocrinal systém Not relevant for this mixture.

11.2.2 Other information None

#### 12. Section 12: Ecological information

12.1 Very toxic to aquatic life with long lasting effects.

Acute toxicity for water organisms: for the mixture is not determined

	- LC <sub>50</sub> , 96 hours, fish (mg/kg):	0,43	0,0076
	- LC <sub>50</sub> , 48 hours, fish (mg/kg):	0,21	0,00017
	- IC <sub>50</sub> , 72 hours, algae (mg/kg):	0,026	0,5
12.2	Persistence and degradability:	Not set	
12.2	Ricaccumulative notantial:	N - 4 4	

12.3 Bioaccumulative potential: Not set

12.4 Mobility in soil: It was not determined, the blend is miscible with water. 12.5

The mixture does not meet the criteria for classification as PBT or Results of PBT and vPvB

12.6 Features causing disruption of endocrinal system Unknown for this mixture

12.7 Other adverse effects: See Section 2

Additional data: The product must not leak to surface and groundwater. Notify

competent authorities immediately in case of accident.

#### 13. Section 13: Disposal considerations

- 13.1 Methods of waste management:
  - a) Appropriate methods of substance, mixture and contaminated packaging disposal: Product remnants and packaging with product remnants must be incinerated in a hazardous waste incinerator or kept at a hazardous waste landfill. Waste code according to the Commission Decision 2000/532/EC (waste catalog) - 08 01 11, 08 01 19 or 20 01 27.
  - b) Physical / chemical properties that can affect means of waste handling: Liquid mixture is completely miscible with water.
  - c) Avoidance of disposal through sewer: It is necessary to prevent leakage of both components and hardened mixture into drains.
  - d) Special precautions for the recommended waste management: Avoid contact with skin and eyes.

#### 14. Section 14: Transport information

14 1 UN number or ID number

Required shipping label:

ADR/RID/ADN:

UN 3082











Various; MARINE POLLUTANT EMS group: F-A,S-F

Permethrin

IMDG:

ICAO TI:

14.2 Official (UN) shipping name

Ground transport ADR/RID/ADN: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS 3-IODO-2-PROPINYL-N-BUTYLCARBAMATE.

TEBUCONAZOLE AND PERMETHRIN)

Naval transport IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS 3-IODO-2-PROPINYL-N-BUTYLCARBAMATE,

TEBUCONAZOLE AND PERMETHRIN)

Air transport ICAO TI: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS 3-IODO-2-PROPINYL-N-BUTYLCARBAMATE,

TEBUCONAZOLE AND PERMETHRIN)

14.3 Transport hazard class(es):

 ADR/RID/ADN:
 9

 IMDG:
 9

 ICAO TI:
 9

14.4 Packing group:

14.5

ADR/RID/ADN: III
IMDG: III
ICAO TI: III
Environmental hazards: YES

14.6 Special precautions for user: See Section 8

Special provisions (ADR): 274: The provisions of subsection 3.1.2.8 apply (ADR). Symbol (fish

and tree)

14.7 Naval mass-transport according to instrumenst IMO: Not applicable

Notes: None Additional data: None

### 15. Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals establishing a European Chemicals Agency, as amended

Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 (CLP) as amended

Commision directive (EU) no. 878/2020

Regulation (EU) No. 528/2012 of the European Parliament and of the Council concerning the making available on the market and use of biocidal products. Note: According to Article 69 letter (i) the following sentence must be stated: "Read attached instructions before use." According to Article 72 Advertising number (1) the following sentence must be stated: "Use biocides safely. Always read the label and product information before use."

EH40/2005 Workplace exposure limits (second edition, published 2011). Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as amended)

15.2 Assessment chemical safety of mixture: Were not performed

# 16. Section 16: Other informations

Information stated in this safety data sheet is based on the current knowledge of EU legislation. It is recommendation in terms of health and safety as well as recommendation related to ecological matters that are essential to safe usage of the product.

a) New edition.

b) key or legend for abbreviations and accronyms used in the safety data sheet:

 $LD_{50}$  The lethal dose for 50 % mortality of the test population relative to a control sample.

 $LC_{50}$  Lethal concentration for 50 % mortality of the test population relative to a control sample.

EC<sub>50</sub> Effective concentration for 50 % mortality of the test population relative to a control sample. EC<sub>10</sub> Effective concentration for 10 % mortality of the test population relative to a control sample.

IC<sub>50</sub> Inhibitory concentration to reduce the growth or growth rate of 50% of the test population relative to a control sample.

 ${\sf LL}_{\sf 50}$  Lethal loading doses of test substance resulting in 50% mortality

EL<sub>50</sub> Effective loading doses of test substance resulting in 50% mortality

PBT Persistent, bioaccumulative and toxic substances.

vPvB Very persistent and very bioaccumulative substances.

DNEL Derived No Effect Level - derived concentration of the substance without adverse effects

DMEL Derived Minimum Effect Level - derived minimum level at which the adverse effects

NOAEL No Observed Adverse Effect Level - no negative effect was observed

PNEC Predicted No Effect Concentration - an estimate of the concentration of the substance wit
--

NOELR No Observed Effect Loading Rate - dosage rate without observed effect
NOEC No Observed Effect Concentration - concentration without observed effect

NOEL No Observed Effect Level - level without observed effect

LOEC Lowest Observed Effect Concentration - lowest concentrations with observable effects

ADR European Agreement concerning the international carriage of dangerous goods by road.

RID Regulations concerning the international carriage of dangerous goods by rail.

IMDG International maritime code of dangerous goods.ICAO The International Civil Aviation Organization.IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemical substances.

### c) important references to literature and data sources

Initial data sources are safety data sheets of the inherent (components).

d) in case of mixture, statement about evaluation method used for classification according to article 9 of directive (ES) number 1272/2008 For evaluation purposes, principles of extrapolation were used. Calculation methods.

# e) List of H-sentences, whose full form is not listed in other parts.

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
<b>⊔</b> 317	May cause an allergic skin reaction

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure (larynx).

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

# Guidelines for training:

As required by national legislation.

Recommended restrictions on use (i. e. non-statutory recommendations by supplier):

Product should not be used for other purposes than specified (see section 1.2). Because specific conditions of use are beyond supplier's control it is responsibility of the user to adapt notifications to local law and regulations. Safety information describe the product with regard to safety and can not be considered technical information about the product.