	SAFETY DATA SHEET			
ac	cording to	o regulation of Europian parliament and Coun according Committee regulation (EU) numb		AUSTIS
Date o	of Issue:	10. 05. 2024	Version number: 1	No. of pages: 8
	ion date: ct name:	SANATHERM O AKRYLÁTOVÁ OMÍT	Replaces version: -	
i iodd	ot name.			
1.	Section 1:	Identification of substance/mixture and of the company/	undertaking	
1.1	Product ide		SANATHERM O AKRYLÁTOVÁ	ΟΜΊΤΚΟVΙΝΑ
	The product is not a nanoform, nor does it contain any nanoforms. UFI code:		MVX2-JYJD-6F1C-PVGX	
1.2	Relevant id	lentified uses of the substance or mixture and uses advised a	gainst:	
1.2.1		lentified use:		
	Life cycle phases:		PW (wide use by professionals - basic)	
	Line vo Nieve		C (consumer use)	
	Usage Nan		SU0	
	Market des	e description:	acrylic plaster PC9a; PC15	
		g Activity Name:	Manual activities involving hand of	contact
		g activities descriptor:	PROC19	Contact
	More inform		technical function of the product i this use:	in acrylic plaster
			quantity to use:	0 - 10 t / yr
			Regulatory status by use:	No
			a limited number of devices for this use:	No
			the subsequent period of use relevant to this use:	24 months
			an overview of environmental release categories for each life cycle stage:	ERC2; ERC8c; ERC8f; ERC10a; ERC11a
			supplied as a mixture	
1.2.2	Uses advis	-	all other uses	
1.3		he supplier of the safety data sheet:		
		nd supplier:	AUSTIS a. s.	
	Adress:		K Austisu 680, 154 00 PRAHA	5 - Slivenec
	Telephone Fax:	number:	+420 251 099 111 +420 251 099 112	
	e-mail		austis@austis.cz	
1.4		/ telephone number:	+420 251 099 247	+420 725 491 378
		ne Toxicologicaly information Na Bojišti 1, 120 00 Prague 2,	Tel.: +420 224 919 293	
2.	Section 2:	Hazard identification		
2.1		on of the substance or mixture		
	Classificati	on under Regulation 1272/2008/EU	Skin Sens. 1A; H317 Aquatic Chronic 3; H412	
2.2	Label elem	ents		
	Symbols:		GHS07	
	Signal word	1:	warning	
	•	a hazardous substance:	Octhilinone (ISO) [ES:247-761-7] (3:1) [Index number: 613-167-00-	
	Hazard Sta	tement:	H317 May cause an allergic skin H412: Harmful to aquatic life with	reaction.

	Precautionary Statement:	hand. P102: Keep out of reach of child P273: Avoid release to the enviru P280: Wear protective gloves. P302+P352: IF ON SKIN: Wash P333+P313: If skin irritation or ra advice/attention.	onment. with plenty of soap and water. ash occurs: Get medical iner by incineration in an incineration
2.3	Other hazards:	substances. The mixture is not e contain any.	
	Other risks:	EUH210: A safety data sheet is	available on request.
3.	Section 3: Composition / information on ingredients		
3.2	A mixture of an aqueous dispersion of acrylic resins, pigments, fillers a Mixtures	nd additives.	
3.2	Chemical name:		diuron (ISO)
	Content [%]:		0,08
	Index number:		0,08
	CAS:		330-54-1
	EC number (EINECS):		206-354-4
	REACH Registration number:		01-2119517622-45-00XX
	Classification according to Directive 1272/2008/EU:		Carc. 2; H351 Acute Tox. 4; H302 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
	Specific concentration limits, M-factors:		M = 10 (acute) M = 1 (chronic)
	Chemical name:	Zinc oxide	Zinc pyridinethione
	Content [%]:	0,05	0,009
	Index number:	030-013-00-7	613-333-00-7
	CAS:	1314-13-2	13463-41-7
	EC number (EINECS):	215-222-5	236-671-3
	REACH Registration number:	01-2119463881-32-0XXX	01-2119511196-46-0XXX
	Classification according to Directive 1272/2008/EU:	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	Repr. 1B; H360D Acute Tox. 2; H330 Acute Tox. 3; H301 Eye Dam. 1; H318 STOT RE 1; H372 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
	Specific concentration limits, M-factors:	M = 1 (acute) M = 1 (chronic)	M = 1000 (acute) M = 10 (chronic) inhalation: ATE = 0,14 mg/l (dust or mist) oral: ATE = 221 mg/kg BM
	Chemical name:	octhilinone (ISO)	Mixture CMIT/MIT (3:1)
	Content [%]:	< 0,0045	< 0,002
	Index number:	613-112-00-5	613-167-00-5
	CAS:	26530-20-1	55965-84-9
	EC number (EINECS):	247-761-7	911-418-6
	REACH Registration number:	Not Assigned	01-2120764691-48-0XXX
	Classification according to Directive 1272/2008/EU:	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 3; H301 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071

Specific concentration limits, M-factors: inhalation: ATE = 0,27 mg/l (dust Skin Corr. 1C; H314: C ≥ 0,6 % or mist) Eye Dam. 1; H318: C ≥ 0,6 % dermal: ATE = 311 mg/kg BM Skin Irrit. 2; H315: oral: ATE = 125 mg/kg BM  $0.06 \% \le C < 0.6 \%$ Skin Sens. 1 A; H317: Eye Irrit. 2; H319:  $C \ge 0.0015$  %  $0.06 \% \le C < 0.6 \%$ M = 100 (acute) Skin Sens. 1A; H317: M = 100 (chronic) C ≥ 0,0015 % M = 100 (acute) M = 100 (chronic) This mixture contains ≥ 1 % titanium dioxide. The classification of Note: titanium dioxide according to Annex VI (as per Regulation (EC) No 1272/2008 of the European Parliament and of the Council) does not apply to this mixture according to Note 10. Full text of H - phrases in Section 16 Section 4: First aid measures 4. 4.1 Description of first aid measures When providing first aid it is necessary to ensure safety of both victim and person rescuing. It is necessary to avoid chaotic behavior. Victim must be kept in mental and physical rest. Victim must be kept warm and must not get chilled. Take original container with label or safety data sheet with information about substance or mixture with you in case of medical examination. Inhalation: Break exposure, move to fresh air protecting the victim from cold. Provide medical treatment especially if coughing, shortness of breath or other symptoms persist. When on skin: Put away contaminated clothes and shoes, wash the contaminated spot with plenty of tepid water; if the skin is not irritated, soap can be used; seek doctor's advice, especially if the skin stays irritated. Eye Contact: Rinse eyes with plenty of water (10 to 15 min). Keep eyes open (even by force if necessary). If the victim is wearing contact lenses remove them immediately. Seek medical attention. Ingestion: Do not induce vomiting! Drink at least 0.5 liters of water with 5 to 10 tablets of crushed charcoal. In case of nausea contact the Toxicology Information Centre for need of medical treatment with information about composition of the mixture from the original container or SDS. 4.2 Most important symptoms and effects, both acute and delayed The product may have adverse effects through inhalation and if swallowed. It can irritate skin, mucous membranes and eyes. 4.3 Indication of any immediate medical attention and special treatment needed: Symptomatic treatment 5. Section 5: Fire-fighting measures 5.1 Extinguishing media Suitable extinguishing media: The product is not inflammable. Water spray (water mist), foam, carbon dioxide, dry powder. Unsuitable extinguishing media: The strong water current. It can be spread fire. 5.2 Specific danger linked to the substance or mixture: Carbon monoxide and dioxide and carbon black can be produced while burning. 5.3 Advice for firefighters: wear a breathing apparatus and protective clothing. 6 Section 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures: Appropriate protective gloves, goggles, appropriate clothing, or respirator. 6.1.1 For workers except for those intervening in emergency cases - instructions in case of accidental spill and leak of substance or mixture: a) use of appropriate protection (including personal protective equipment according to part 8 BL), in order to avoid any skin, eyes or personal clothing contamination: b) removing possible sources of ignition, providing proper ventilation, control of dust - not relevant c) emergency measures, for example necessary evacuation from dangerous area or consultation with an expert - not relevant 6.1.2 For workers intervening in emergency cases - instructions for appropriate materials of personal protective suits (see part 8 BL) 6.2 Environmental precautions: Prevent environmental pollution - leakage into drains, surface water, groundwater or soil. 6.3 Methods and materials for limitation of leaks and for cleaning: 6.3.1 Instructions for leak limitation of spilled substance or mixture a) enclose the spilled mixture, cover the canalization; b) seal the damaged package 6.3.2 Instructions for removal of spilled substance or mixture Absorb with appropriate agent, hand over to authorized person for disposal. 64 Reference to other sections: See also section 7., 8 and 13. 7 Section 7: Handling and storage 7.1 Measures for safe manipulation: 7.1.1 Recomendations: a) Workers handeling the product have to get familiar with health and safety rules for work and have to obey these rules. Secure escape routs (enclosing of leaked mixture, sealing of demaged packages and so on), for fire prevention (remove ignition sources, non-sparkling tools and so

b) Obey measures for prevention of manipulation with incompatible substances or mixtures (see part 10) in common areas.

on) and limit the production of aerosol and dust.

	ore in original closed packages in temperature from +5 to +25 °C, do se to direct sunlight or other heat sources.	not expose to temperature under 0 °C (not even in short term). Do no	
	0	Inface or underground water and soil	
,	<ul> <li>d) Prevent the contamination of environment, i.e. leak into canalization, surface or underground water and soil.</li> <li>1.2 Instructions for general byging of work:</li> </ul>		
<ul><li>7.1.2 Instructions for general hygiene of work:</li><li>a) Do not eat, drink or smoke on work areas.</li></ul>			
,	a) Do not eat, drink or smoke on work areas. b) After working with product wash your hands with soap and water, eventualy use regeneration hand cream.		
,			
· · ·	efore entering dining areas, remove contaminated clothing and protec		
stora not e food,	Conditions for safe storage of substances and mixtures including incompatible substances and mixtures: Store in dry and well-ventilated storages in original closed packages in temperatures from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources. Prevent any contact with oxidazing substances, strong acids and bases. Do not store with food, drinks and feed. The product is not a flamable liquid according to ČSN 65 0201.		
	cific end use: see part 1.2; coating procedure and recomendations are imentation.	e listed in technical list of the product, or in other product	
9 Seati	ion 9. Evenesure controls / nerconal protection		
	ion 8: Exposure controls / personal protection		
	rol parameters: osure limits EH40/2005 (WELs):	Not Assigned	
	on (ISO) (ES: 206-354-4):	Not Assigned	
	L (Workers, Hazard via inhalation route, Systemic effects, Long term	0.47	
expos	sure)		
expos	L (Workers, Hazard via dermal route, Systemic effects, Long term sure)	5,79 mg/kg bw/day	
	C aqua (freshwater)	0,32 mg/L	
	C aqua (marine water)	0,032 mg/L	
	C STP	58 mg/L	
	C sediment (freshwater)	0,052 mg/kg sediment dw	
	C sediment (marine water)	0,005 mg/kg sediment dw	
	C soil	0,012 mg/kg soil dw	
	oxide (ES: 215-222-5)		
expos	L (Workers, Hazard via inhalation route, Systemic effects, Long term sure)		
term	EC (Workers, Hazard via inhalation route, Systemic effects, Long exposure)	5 mg/m <sup>3</sup>	
expos	L (Workers, Hazard via inhalation route, Local effects, Long term sure)	0,5 mg/m <sup>3</sup>	
expos	L (Workers, Hazard via dermal route, Systemic effects, Long term sure)	83 mg/kg bw/day	
expos	EL (Workers, Hazard via dermal route, Systemic effects, Long term sure)		
Long	L (General Population, Hazard via inhalation route, Systemic effects, term exposure)		
effect	EC (General Population, Hazard via inhalation route, Systemic ts, Long term exposure)	2,5 mg/m <sup>3</sup>	
Long	L (General Population, Hazard via dermal route, Systemic effects, term exposure)	83 mg/kg bw/day	
Long	EL (General Population, Hazard via dermal route, Systemic effects, term exposure)		
term	L (General Population, Hazard via oral route, Systemic effects, Long exposure)		
Long	EL (General Population, Hazard via oral route, Systemic effects, term exposure)	0,83 mg/kg bw/day	
	C aqua (freshwater)	20,6 µg/L	
	C aqua (marine water)	6,1 µg/L	
	C STP	100 μg/L	
	C sediment (freshwater)	117,8 mg/kg sediment dw	
	C sediment (marine water)	56,5 mg/kg sediment dw	
	C soil	35,6 mg/kg soil dw	
DNEI	pyridinethione [ES: 236-671-3] L (Workers, Hazard via dermal route, Systemic effects, Long term	0,01 mg/kg bw/day	
	sure)		
	C aqua (freshwater)	90 ng/L	
	C aqua (marine water)	90 ng/L	
	C STP	0,01 mg/L	
	C sediment (freshwater)	0,009 mg/kg sediment dw	
	C sediment (marine water)	0,009 mg/kg sediment dw	
I PNF(	C soil	1,02 mg/kg soil dw	

8.2 Exposure controls

Ensure adequate ventilation. Ensure protective equipment is worn while working with the product. Contaminated work clothes can be reused after thorough cleaning. Wash your hands and face with soap and water after use. Do not eat, drink or smoke while working with the product.

- 8.2.1 Appropriate engineering controls: Observe the usual precautions to protect the health and well-ventilated.
- 8.2.2 Individual protection measures, such as personal protective equipment:

Occupational exposure is governed by Directive 89/686/EEC therefore any use of personal protective equipment must be in accordance with this Regulation.

a) Eyes and face protection: Suitable safety goggles (EN 166), face shiled.

b) Skin protection: Common safety clothing with long sleave and shoes; take of the contaminated clothing and wash your skin with soap and water.

b-1) Hands protection: suitable protective gloves (made from rubber - according to EN 374), wash your hands with soap and water after work, c) Airways protection: with proper area ventilation not required. When spraying, face half-shiled is recommended for gass filtration (EN 405) or quarter-shiled with gass filter (EN 140, EN 141).

d) Heat hazard: Special attention must be paid to construction of personal protective measures, when specifying protective measures for protection against materials, which are considered to be heat hazard. Not relevant for this product.

8.2.3 Environmental exposure controls: Avoid infiltration of surface and groundwater and soil.

## 9. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties viscous liquid a) State color shown on the cover b) Color characteristic c) Odour: Odor threshold: Not specified approximately 0 d) Melting/Freezing point (temperature range) (°C): e) Boiling point or initial boiling point and boiling range (°C) approximately 100 non-flammable liquid f) Combustibility: Not specified g) Explosion limints: upper limit (% volume): Not specified lower limit (% volume): Not specified h) Point of ignition: Not specified i) Temperature of self-ignition: Not specified j) Temperature of decomposition (°C): 8,0 - 9,0 k) pH (23 °C) Not specified I) Kinematic viscosity: m) Solubility (23 °C) unlimited miscibility - with water Not specified - with fats: n) Partition coefficient n - octanol/water: Not specified 2,3 kPa o) Steam pressure (20 °C): p) Density and/or relative density (20 °C): approximately 1,84 g.cm<sup>-3</sup> q) Relative viscosity of steam (at °C): Not specified Not specified r) Particles characteristics: 9.2 Other information: 9.2.1 Information about class of physical hazard: is not relevant 9.2.2 Other safety characteristics Evaporation rate: Not specified Dynamic viscosity: Not specified Explosive properties: Not specified Oxidizing properties: Not specified VOC (g/L): is not relevant 10. Section 10: Stability and reactivity Product is stable under recommended storage and handling conditions. 10.1 Reactivity: Product is not reactive under recommended storage and handling conditions. 10.2 Chemical stability: Product is stable under recommended storage and handling conditions. 10.3 Possibility of hazardous reactions: In case of contact with substances reacting dangerously with water. 10.4 Conditions to avoid: Temperatures below 0 °C and above 100 °C cause degradation of the product. Temperatures above recommended storage temperature reduce life of the product.

- 10.5 Incompatible materials: Substances reacting with water.
- 10.6 Hazardous Decomposition Products: Carbon monoxide and dioxide and carbon black may form during burning.

## 11. Section 11: Toxicological information

- 11.1 Information about hazard classes acording to (ES) č. 1272/2008a) acute toxicity:
  - LD<sub>50</sub>, oral, rat (mg.kg<sup>-1</sup>):
  - LD<sub>50</sub>, dermal, rat or rabbit (mg.kg<sup>-1</sup>):

the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information SDS 109/2024

	- LC <sub>50</sub> , inhalation, rat, for aerosols or particles (mg.kg <sup>-1</sup> ):	the classification cirteria are not m		
	- LC <sub>50</sub> , inhalation, rat, for gases and vapours (mg.kg <sup>-1</sup> ):	the classification cirteria are not n		
	b) corrosivity/skin irritation:	the classification cirteria are not m		
	c) serious eye damage / eyes irritation:	the classification cirteria are not met based on avilable information		
	d) sensitivity of airways / sensitivity of skin:	May cause an allergic skin reaction		
	e) germ cells mutagenicity:	the classification cirteria are not m	net based on avilable information	
	f) carcinogenicity:	the classification cirteria are not m	net based on avilable information	
	g) toxicity for reproduction:	the classification cirteria are not m	net based on avilable information	
	h) toxicity for specific organs - single exposure:	the classification cirteria are not m	net based on avilable information	
	i) toxicity for specific organs - multiple exposures:	the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information		
	j) hazards while inhaled:			
	Human experience:	No detrimental effects were found prescribed safety measures.	upon compliance with the	
	Tests on animals:	Were not performed		
11.1.1	Information for each hazard class or breakdown:	see above		
11.1.2	Toxicological properties of mixture	not avilable		
	diuron (ISO) (ES: 206-354-4), Zinc oxide (ES: 215-222-5) a Zinc	see part 8		
	pyridinethione [ES: 236-671-3]			
11.1.3	If enough information from substance/mixture trials exist, it might be necessary to sum up results of used studies, for example according to exposure run	not relevant		
11.1.4	If the classification criteria are not met for specific hazard class, information explaining the justification should be stated.	relevant concentration limits were	not exceeded	
11.1.5	Information about likely exposure run	no effects on human health are kr	nown	
11.1.6	Symptoms corresponding to physical, chemical and toxicological features	no effects on human health are kr	nown	
11.1.7	Belated and immediate effects and chronical effects of short/long term exposure	no effects on human health are kr	nown	
11.1.8	Interactive effects	unknown		
11.1.9	Lack of specific data	not relevant		
	( Mixtures	see part 8		
11.1.1	Mixtures information compared to substance information			
	1) Substances in the mixture can react with each other inside of a body a	nd can cause different levels of abs	orption, metabolism and secretion.	
	2) It is necessary to consider, if concentration of each substance is sufficient to contributeto mixture's effects on health. For each substance			
	a) if the information are doubled, they are listed only once for a substance as a whole, for example when two different substances are causing vomiting and diarrhea;	Not relevant for this mixture.		
		Not relevant for this mixture.		
	c) if the information about mutual effects of substances in the mixture are unavilable, no assumptions will be listed and instead effects on healtf of each substance will be listed.	see part 8		
11.1.1	2 Other information	None		
	Other hazards information	None		
		Not relevant for this mixture.		
	Features causing disruption of endocrinal systém Additional data:			
11.2.2		None		
<b>12.</b>	Section 12: Ecological information	Loweful to countin life with two 1	ating affacta	
12.1	Toxicity	Harmful to aquatic life with long la	•	
	Acute toxicity for water organisms:	Mixture	diuron (ISO)	
	- LC <sub>50</sub> , 96 hours, fish (mg/kg):	Not set	14,7 Oncorhynchus mykiss (source Bayer AG)	
	- LC <sub>50</sub> , 48 hours, fish (mg/kg):	Not set	1,4 Daphnia magna (source Baye AG)	
	- IC <sub>50</sub> , 72 hours, algae (mg/kg):	Not set	0,022 Scedenesmus subspicatus (source Bayer AG)	
12 2		Not sot		
12.2 12 3	Persistence and degradability:	Not set		
12.3	Persistence and degradability: Bioaccumulative potential:	Not set		
	Persistence and degradability:			
12.3 12.4	Persistence and degradability: Bioaccumulative potential: Mobility in soil:	Not set It was not determined, the blend is The mixture does not meet the cri		

## 13. Section 13: Disposal considerations

## 13.1 Methods of waste management:

a) Appropriate methods of substance, mixture and contaminated packaging disposal: Product remnants and packaging with product remnants must be incinerated in a hazardous waste incinerator or kept at a hazardous waste landfill.

b) Physical / chemical properties that can affect means of waste handling: Liquid mixture is completely miscible with water.

c) Avoidance of disposal through sewer: It is necessary to prevent leakage of both components and hardened mixture into drains.

d) Special precautions for the recommended waste management: Avoid contact with skin and eyes.

14.	Section 14: Transport information			
14.1	UN number or ID number	Not specified		
	Required shipping label:			
	ADR/RID/ADN:	Not specified		
	IMDG:	Not specified		
	ICAO TI:	Not specified		
14.2	Proper name of the United Nations for the shipment			
	Ground transport ADR/RID/ADN:	Not specified		
	Naval transport IMDG:	Not specified		
	Air transport ICAO TI:	Not specified		
14.3	Transport hazard class(es):			
	ADR/RID/ADN:	Not specified		
	IMDG:	Not specified		
	ICAO TI:	Not specified		
14.4	Packing group:			
1	ADR/RID/ADN:	Not specified		
	IMDG:	Not specified		
	ICAO TI:	Not specified		
14.5	Environmental hazards:	Not specified		
14.6	Special precautions for user:	See Section 8		
	Special provisions (ADR):	Not specified		
14.7	Naval mass-transport according to instrumenst IMO:	Not applicable		
	Notes:	None		
	Additional data:	None		
15. Section 15: Regulatory information				
15.1	Safety, health and environmental regulations/legislation speci			
	Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals establishing a European Chemicals Agency, as amended			
	Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 (CLP) as amended			
	Commision directive (EU) No. 878/2020			
	EH40/2005 Workplace exposure limits (second edition, published 2011). Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as amended)			
15.2	Assessment chemical safety of mixture:	Were not performed		
16.	Section 16: Other informations			
	Information stated in this safety data sheet is based on the current knowledge of EU legislation. It is recommendation in terms of health and safety as well as recommendation related to ecological matters that are essential to safe usage of the product.			
	a) New edition.			
	b) key or legend for abbreviations and accronyms used in the safety data sheet:			
	$LD_{50}$ The lethal dose for 50 % mortality of the test population relative to a control sample.			
	LC <sub>50</sub> Lethal concentration for 50 % mortality of the test population relative to a control sample.			
	EC <sub>50</sub> Effective concentration for 50 % mortality of the test population relative to a control sample.			
	EC <sub>10</sub> Effective concentration for 10 % mortality of the test population relative to a control sample.			
	IC <sub>50</sub> Inhibitory concentration to reduce the growth or growth rate of 50% of the test population relative to a control sample.			
	LL <sub>50</sub> Lethal loading doses of test substance resulting in 50% mortality			
	EL <sub>50</sub> Effective loading doses of test substance resulting in 50% mortality			
	PBT Persistent, bioaccumulative and toxic substances.			
	vPvB Very persistent and very bioaccumulative substances.			
	DNEL Derived No Effect Level - derived concentration of the substance without adverse effects			
		· · · · · · · · · · · · · · · · · · ·		

DMEL Derived Minimum Effect Level - derived minimum level at which the adverse effects

NOAEL No Observed Adverse Effect Level - no negative effect was observed

PNEC Predicted No Effect Concentration - an estimate of the concentration of the substance without adverse effects

NOELR No Observed Effect Loading Rate - dosage rate without observed effect

NOEC No Observed Effect Concentration - concentration without observed effect

NOEL No Observed Effect Level - level without observed effect

LOEC Lowest Observed Effect Concentration - lowest concentrations with observable effects

ADR European Agreement concerning the international carriage of dangerous goods by road.

RID Regulations concerning the international carriage of dangerous goods by rail.

- IMDG International maritime code of dangerous goods.
- ICAO The International Civil Aviation Organization.
- IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemical substances.

c) important references to literature and data sources

Initial data sources are safety data sheets of the inherent (components).

d) in case of mixture, statement about evaluation method used for classification according to article 9 of directive (ES) number 1272/2008

For evaluation purposes, principles of extrapolation were used. Calculation methods.

e) List of H-sentences, whose full form is not listed in other parts.

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Causes burns to the respiratory tract.

Guidelines for training:

As required by national legislation.

Recommended restrictions on use (i. e. non-statutory recommendations by supplier):

Product should not be used for other purposes than specified (see section 1.2). Because specific conditions of use are beyond supplier's control it is responsibility of the user to adapt notifications to local law and regulations. Safety information describe the product with regard to safety and can not be considered technical information about the product.