## SAFETY DATA SHEET according to regulation of Europian parliament and Council (ES) number 1907/2006 according Committee regulation (EU) number 878/2020 10, 05, 2024 Date of Issue: Version number: 1 No. of pages: § Revision date: Replaces version: ETERNAL ODMASTOVAC Product name: Section 1: Identification of substance/mixture and of the company/undertaking 1. 1.1 Product identifier: ETERNAL ODMAŠŤOVAČ The product is not a nanoform, nor does it contain any nanoforms. UFI code: KXPW-GH5X-PD1P-F6K2 1.2 Relevant identified uses of the substance or mixture and uses advised against: 1.2.1 Relevant identified use: Life cycle phases: PW (wide use by professionals - basic) C (consumer use) Usage Name: SU0 Other usage description: concentrated cleaning agent, degreasing agent Market description: PC15; PC35 Contributing Activity Name: roller or brush application non-industrial spraying techniques Contributing activities descriptor: PROC10 PROC11 More information: technical function of the product in concentrated cleaning agent, degreasing agent this use: 0 - 10 t / yr quantity to use: Regulatory status by use: No a limited number of devices for No this use: the subsequent period of use 24 months relevant to this use. ERC2; ERC8a; ERC8d; ERC10a; an overview of environmental FRC11a release categories for each life cycle stage: supplied as a mixture 1.2.2 all other uses Uses advised against: 1.3 Details of the supplier of the safety data sheet: AUSTIS a. s. Producer and supplier: Adress: K Austisu 680, 154 00 PRAHA 5 - Slivenec Telephone number: +420 251 099 111 Fax: +420 251 099 112 austis@austis.cz e-mail 1.4 +420 725 491 378 Emergency telephone number: +420 251 099 247 Centre of the Toxicologicaly information Na Bojišti 1, 120 00 Prague 2, Tel.: +420 224 919 293 C7 Section 2: Hazard identification 2. 2.1 Classification of the substance or mixture The mixture is classified as dangerous. Classification under Regulation 1272/2008/EU Eye Dam. 1; H318 Skin Irrit. 2; H315 2.2 Label elements Symbols: GHS05 Signal word: Dangerous It contains a hazardous substance: Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether; Sodium metasilicate, pentahydrate. Hazard Statement: H318: Causes serious eye damage. H315: Causes skin irritation.

		P280: Wear protective gloves/pro protection. P305+P351+P338: IF IN EYES: F several minutes. Remove contact Continue rinsing. P310: Immediately call a POISON P302+P352: IF ON SKIN: Wash v P337+P313: If eye irritation persis	lenses, if present and easy to do. I CENTER or doctor/physician. with plenty of soap and water.
	Composition according to (EC) 648/2004:	5 % or more but less than 15 % o	
2.3	Other hazards:	anionic surfactant, nonionic surfac The mixture does not meet criteria substances. The mixture is not er contain any.	a to be classified as PBT or vPvB
	Other risks:	Not Assigned	
3.	Section 3: Composition / information on ingredients		
	A mixture of 2-aminoethan-1-ol, quaternary ammonium compound	inds, complex modern surfactants and addit	ives.
3.2	Mixtures Chemical name:	(2-methoxymethyl- ethoxy)propanol	tetrapotassium pyrophosphate
	Content [%]:	≤ 15	≤ 6
	Index number:	Not Assigned	Not Assigned
	CAS:	34590-94-8	7320-34-5
	EC number (EINECS):	252-104-2	230-785-7
	REACH Registration number: Classification according to Directive 1272/2008/EU:	01-2119450011-60-00XX Not Assigned	01-2119489369-18-00XX Eye Irrit. 2; H319
	Specific concentration limits, M-factors:	Not Assigned	Not Assigned
		Established Exposure limit EH40/2005 (WELs):	het / longhou
	Chemical name:	Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether	Sodium metasilicate, pentahydrate
	Content [%]:	≤ 5,5	≤ 2,5
	Index number: CAS:	Not Assigned 68154-99-4	Not Assigned 10213-79-3
	EC number (EINECS):	Not Assigned	600-279-4
	REACH Registration number:	Not Assigned	Not Assigned
	Classification according to Directive 1272/2008/EU:	Eye Dam. 1; H318 Skin Irrit. 2; H315	Met. Corr. 1; H290 Skin Corr. 1B; H314 STOT SE 3; H335
	Specific concentration limits, M-factors:	Not Assigned	Not Assigned
	Full text of H - phrases in Section 16		
<b>4.</b> 4.1	Section 4: First aid measures Description of first aid measures		
	When providing first aid it is necessary to ensure safety of both victim and person rescuing. It is necessary to avoid chaotic behavior. Victim must be kept in mental and physical rest. Victim must be kept warm and must not get chilled. Take original container with label or safety data sheet with information about substance or mixture with you in case of medical examination. Inhalation: Break exposure, move to fresh air protecting the victim from cold. Provide medical treatment especially if coughing, shortness of breath or other symptoms persist.		
	When on skin: Put away contaminated clothes and shoes, wash the contaminated spot with plenty of tepid water; if the skin is not irritated, soap can be used; seek doctor's advice, especially if the skin stays irritated.		
	Eye Contact: Rinse eyes with plenty of water (10 to 15 min). Keep eyes open (even by force if necessary). If the victim is wearing contact lenses remove them immediately. Seek medical attention. Ingestion: Do not induce vomiting! Drink at least 0,5 liters of water with 5 to 10 tablets of crushed charcoal. In case of nausea contact the		
	Toxicology Information Centre for need of medical treatment with SDS.		
4.2	Most important symptoms and effects, both acute and delayed The product may have adverse effects through inhalation and if		
4.3	Indication of any immediate medical attention and special treatr	nent needed:	Symptomatic treatment
5.	Section 5: Fire-fighting measures		
5.1	Extinguishing media		

- 5.2 Specific danger linked to the substance or mixture: Carbon monoxide can be produced while burning.
- 5.3 Advice for firefighters: wear a breathing apparatus and protective clothing.

## 6. Section 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Appropriate protective gloves, goggles, appropriate clothing, or respirator.
- 6.1.1 For workers except for those intervening in emergency cases instructions in case of accidental spill and leak of substance or mixture:
   a) use of appropriate protection (including personal protective equipment according to part 8 BL), in order to avoid any skin, eyes or personal clothing contamination;
  - b) removing possible sources of ignition, providing proper ventilation, control of dust not relevant
- c) emergency measures, for example necessary evacuation from dangerous area or consultation with an expert not relevant
- 6.1.2 For workers intervening in emergency cases instructions for appropriate materials of personal protective suits (see part 8 BL)
- 6.2 Environmental precautions: Prevent environmental pollution leakage into drains, surface water, groundwater or soil.
- 6.3 Methods and materials for limitation of leaks and for cleaning:
- 6.3.1 Instructions for leak limitation of spilled substance or mixture
  - a) enclose the spilled mixture, cover the canalization;
  - b) seal the damaged package
- 6.3.2 Instructions for removal of spilled substance or mixture
- Absorb with appropriate agent, hand over to authorized person for disposal.
- 6.4 Reference to other sections: See also section 7., 8 and 13.

## 7. Section 7: Handling and storage

- 7.1 Measures for safe manipulation:
- 7.1.1 Recomendations:

a) Workers handeling the product have to get familiar with health and safety rules for work and have to obey these rules. Secure escape routs (enclosing of leaked mixture, sealing of demaged packages and so on), for fire prevention (remove ignition sources, non-sparkling tools and so on) andlimit the production of aerosol and dust.

b) Obey measures for prevention of manipulation with incompatible substances or mixtures (see part 10) in common areas.

c) Store in original closed packages in temperature from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources.

- d) Prevent the contamination of environment, i.e. leak into canalization, surface or underground water and soil.
- 7.1.2 Instructions for general hygiene of work:
  - a) Do not eat, drink or smoke on work areas.
    - b) After working with product wash your hands with soap and water, eventualy use regeneration hand cream.
  - c) Before entering dining areas, remove contaminated clothing and protective equipment.
- 7.2 Conditions for safe storage of substances and mixtures including incompatible substances and mixtures: Store in dry and well-ventilated storages in original closed packages in temperatures from +5 to +25 °C, do not expose to temperature under 0 °C (not even in short term). Do not expose to direct sunlight or other heat sources. Prevent any contact with oxidazing substances, strong acids and bases. Do not store with food, drinks and feed. The product is not a flamable liquid according to ČSN 65 0201.
- 7.3 Specific end use: see part 1.2; coating procedure and recomendations are listed in technical list of the product, or in other product documentation.

## 8 Section 8: Exposure controls / personal protection 8.1 Control parameters: Exposure limits EH40/2005 (WELs): Chemical name: (2-methoxymethylethoxy)propanol 34590-94-8 CAS: 308 (50 ppm) Long-term exposure limit [mg/m<sup>3</sup>] (TWA/8 h) 150 ppm Short-term exposure limit [mg/m<sup>3</sup>] (15 minut) Can be absorbed through the Comments: skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. (2-methoxymethylethoxy)propanol (ES: 252-104-2): DNEL (Workers, Hazard via inhalation route, Systemic effects) 308 mg/m<sup>3</sup> DNEL (Workers, Hazard via dermal route, Systemic effects) 283 mg/kg bw/day NOAEL (Workers, Hazard via dermal route, Systemic effects) 2850 mg/kg bw/day DNEL (General Population, Hazard via inhalation route, Systemic 37,2 mg/m<sup>3</sup> effects) DNEL (General Population, Hazard via dermal route, Systemic effects) 121 mg/kg bw/day

NOAEL (General Population, Hazard via dermal route, Systemic effects) 2 035 mg/kg bw/day

	DNEL (General Population, Hazard via oral route, Systemic effects)	36 mg/kg bw/day	
	NOAEL (General Population, Hazard via oral route, Systemic effects)	1 000 mg/kg bw/day	
	PNEC aqua (freshwater)	19 mg/L	
	PNEC aqua (marine water)	1,9 mg/L	
	PNEC STP	4 168 mg/L	
	PNEC sediment (freshwater)	70.2 mg/kg sediment dw	
	PNEC sediment (marine water)	7,02 mg/kg sediment dw	
	PNEC soil	2,74 mg/kg soil dw	
		2,74 mg/kg son dw	
	tetrapotassium pyrophosphate (ES: 230-785-7):		
	DNEL (Workers, Hazard via inhalation route, Systemic effects)	44,08 mg/m <sup>3</sup>	
	DNEL (General Population, Hazard via inhalation route, Systemic effects)	10,87 mg/m <sup>3</sup>	
	PNEC aqua (freshwater)	0,05 mg/L	
	PNEC aqua (marine water)	0,005 mg/L	
	PNEC STP	50 mg/L	
8.2	Exposure controls		
	Ensure adequate ventilation. Ensure protective equipment is worn whil after thorough cleaning. Wash your hands and face with soap and wate	e working with the product. Contaminated work clothes can be reused er after use. Do not eat, drink or smoke while working with the product.	
8.2.1	Appropriate engineering controls: Observe the usual precautions to pro		
8.2.2	Individual protection measures, such as personal protective equipmen Occupational exposure is governed by Directive 89/686/EEC therefore		
	this Regulation.		
	<ul> <li>a) Eyes and face protection: Suitable safety goggles (EN 166), face shiled.</li> <li>b) Skin protection: Common safety clothing with long sleave and shoes; take of the contaminated clothing and wash your skin with soap and water.</li> </ul>		
	b-1) Hands protection: suitable protective gloves (made from rubber - according to EN 374), wash your hands with soap and water after work, c) Airways protection: with proper area ventilation not required. When spraying, face half-shiled is recomended for gass filtration (EN 405) or quarter-shiled with gass filter (EN 140, EN 141).		
8.2.3	<ul> <li>d) Heat hazard: Special attention must be paid to construction of perso protection against materials, which are considered to be heat hazard. I Environmental exposure controls: Avoid infiltration of surface and grou</li> </ul>	Not relevant for this product.	
9.	Section 9: Physical and chemical properties		
9.1.	Information on basic physical and chemical properties		
	a) State	low viscosity liquid	
	b) Color	clear colorless to yellowish liquid	
	c) Odour:	after the raw materials used	
	Odor threshold:	Not specified	
		Not specified	
	d) Melting/Freezing point (temperature range) (°C):	•	
	e) Boiling point or initial boiling point and boiling range (°C)	approximately 100	
	f) Combustibility:	non-flammable liquid	
	g) Explosion limints: upper limit (% volume):	Not specified	
	lower limit (% volume):	Not specified	
	h) Point of ignition:	Not specified	
	i) Temperature of self-ignition:	Not specified	
	j) Temperature of decomposition (°C):	Not specified	
	k) pH (at 23 °C; 1% solution):	10,5 - 11,5	
	I) Kinematic viscosity:	Not specified	
	m) Solubility (23 °C)		
	- with water:	unlimited miscibility with water	
		Not specified	
	- with fats:		
	n) Partition coefficient n - octanol/water:	Not specified	
	o) Steam pressure (20 °C):	Not specified	
	p) Density and/or relative density (20 °C):	approximately 1,05 - 1,10 g.cm <sup>-3</sup>	
	q) Relative viscosity of steam (at °C):	Not specified	
9.2	r) Particles characteristics: Other information:	Not specified	
9.2.1		not relevant	
9.2.1	Information about class of physical hazard:		
J.L.L	Other safety characteristics Evaporation rate:	Not specified	
	Dynamic viscosity:	Not specified Not specified	
	Explosive properties:		

	Oxidizing properties: The content of organic solvents; total organic carbon content (TOC):	Not specified 0,057 kg/kg	
10.	Section 10: Stability and reactivity		
10.1	Product is stable under recommended storage and handling conditions		
10.1	Reactivity: Product is not reactive under recommended storage and ha	-	
10.2	Chemical stability: Product is stable under recommended storage and	-	
10.3	Possibility of hazardous reactions: In case of contact with substances	<b>o o i</b>	
10.4	Conditions to avoid: Temperatures below 0 °C and above 100 °C caus	e degradation of the product. Tempe	eratures above recommended
10 F	storage temperature reduce life of the product.		
<ul> <li>10.5 Incompatible materials: Substances reacting with water, strong oxidizing agents, acids at</li> <li>10.6 Hazardous Decomposition Products: Carbon monoxide may form during burning.</li> </ul>			
11.	Section 11: Toxicological information		
11.1	Information about hazard classes acording to (ES) č. 1272/2008		
	a) acute toxicity:	For the mixture not determined	the classification cirteria are not
			met based on avilable information
	- LD <sub>50</sub> , oral, rat (mg.kg <sup>-1</sup> ) (2-methoxymethyl-ethoxy)propanol:	5135	the classification cirteria are not met based on avilable information
	- LD <sub>50</sub> , oral, mouse (mg.kg <sup>-1</sup> ) tetrapotassium pyrophosphate:	> 2000	the classification cirteria are not met based on avilable information
	- LD <sub>50</sub> , oral, rat (mg.kg <sup>-1</sup> ) Sodium metasilicate, pentahydrate:	1280	the classification cirteria are not met based on avilable information
	- LD <sub>50</sub> , oral, rat (mg.kg <sup>-1</sup> ) Alcohols, C8-10, ethers with polyethylene- polypropylene glycol monobenzyl ether:	2,33	the classification cirteria are not met based on avilable information
	- LD <sub>50</sub> , dermal, rat or rabbit (mg.kg <sup>-1</sup> ):	Not set	the classification cirteria are not met based on avilable information
	- $LC_{50}$ , inhalation, rat, for aerosols or particles (mg.kg <sup>-1</sup> ):	Not set	the classification cirteria are not met based on avilable information
	- $LC_{50}$ , inhalation, rat, for gases and vapours (mg.kg <sup>-1</sup> ):	Not set	the classification cirteria are not met based on avilable information
	b) corrosivity/skin irritation:	Causes skin irritation.	
		for individual ingredients:	
		(2-methoxymethyl-ethoxy)propar exposure will cause significant sl skin with large amounts of substa drowsiness. LD <sub>50</sub> rabbit > 20 ml/l	kin irritation. Prolonged contact of the ance may cause dizziness or
		tetrapotassium pyrophosphate: ii	ritating to eyes
		Sodium metasilicate, pentahydra	te: Etches the skin. Irritating to
		respiratory system. Ingestion is h Alcohols, C8-10, ethers with poly monobenzyl ether: Corrosive to t membranes.	
	c) serious eye damage / eyes irritation:	Causes serious eye damage.	
	d) sensitivity of airways / sensitivity of skin:		met based on avilable information
	e) germ cells mutagenicity:	the classification cirteria are not met based on avilable information the classification cirteria are not met based on avilable information	
	f) carcinogenicity:	the classification cirteria are not met based on avilable information	
	g) toxicity for reproduction:	the classification cirteria are not met based on avilable information	
	h) toxicity for specific organs - single exposure:	the classification cirteria are not met based on avilable information	
	i) toxicity for specific organs - multiple exposures:		met based on avilable information
		(2-methoxymethyl-ethoxy)propar kidneys. May occur anesthetic or excessive exposure.	•
	j) hazards while inhaled:		met based on avilable information
		(2-methoxymethyl-ethoxy)propanol: Excessive exposure may cause irritation of the upper respiratory tract, may cause anesthetic or narcotic effects. LC <sub>E0</sub> 7 hours/aerosol/rat: > 500 ppm	

LC<sub>50</sub> 7 hours/aerosol/rat: > 500 ppm

	Human experience:	No detrimental effects were found upon compliance with the prescribed safety measures.
	Tests on animals:	Were not performed
11.1.1	Information for each hazard class or breakdown:	see above
11.1.2	Toxicological properties of mixture	not avilable
	(2-methoxymethylethoxy)propanol (ES: 252-104-2) and tetrapotassium pyrophosphate (ES: 230-785-7)	see part 8
11.1.3	If enough information from substance/mixture trials exist, it might be necessary to sum up results of used studies, for example according to exposure run	not relevant
11.1.4	If the classification criteria are not met for specific hazard class, information explaining the justification should be stated.	relevant concentration limits were not exceeded
11.1.5	Information about likely exposure run	see part 11.1
11.1.6	Symptoms corresponding to physical, chemical and toxicological features	see part 11.1
11.1.7	Belated and immediate effects and chronical effects of short/long term exposure	see part 11.1
11.1.8	Interactive effects	unknown
11.1.9	Lack of specific data	not relevant
11.1.10	Mixtures	see part 8
11.1.11	Mixtures information compared to substance information	
	1) Substances in the mixture can react with each other inside of a body	and can cause different levels of absorption, metabolism and
	2) It is necessary to consider, if concentration of each substance is sufficient and the substance is sufficient.	
	a) if the information are doubled, they are listed only once for a	Not relevant for this mixture.
	substance as a whole, for example when two different substances are causing vomiting and diarrhea;	
	b) if it is not likely the effects will appear with current concentrations, for example when weak irritating substance is disolved in non-irritating solution to a level under certain concentration;	Not relevant for this mixture.
	c) if the information about mutual effects of substances in the mixture are unavilable, no assumptions will be listed and instead effects on healtf of each substance will be listed.	see part 8
11.1.12	Additional data:	None
11.2	Other hazards information	
11.2.1	Features causing disruption of endocrinal systém	Not relevant for this mixture.
11.2.1 11.2.2	Features causing disruption of endocrinal systém Other information	Not relevant for this mixture. None
11.2.2	Other information	
11.2.2 <b>12.</b>	Other information Section 12: Ecological information	
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients:
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l - EC <sub>50</sub> , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l - EC <sub>50</sub> , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 48 hours, (Daphnia magna): 1,919 mg/l - $EC_{50}$ , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering $LC_0 / 48$ h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - $LC_{50}$ , 96 hours, fish: 3185 mg/l (analogies with sodium silicate)
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l - EC <sub>50</sub> , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering LC <sub>0</sub> / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate:
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering $LC_0 / 48$ h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - $LC_{50}$ , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - $EC_{50}$ , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate)
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l - EC <sub>50</sub> , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering LC <sub>0</sub> / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - LC <sub>50</sub> , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - EC <sub>50</sub> , 48 hours, invertebrates: 4857 mg/l (analogies with sodium
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l - EC <sub>50</sub> , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering LC <sub>0</sub> / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - LC <sub>50</sub> , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - EC <sub>50</sub> , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - IC <sub>50</sub> , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 48 hours, (Daphnia magna): 1,919 mg/l - $EC_{50}$ , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering $LC_0$ / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - $LC_{50}$ , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - $EC_{50}$ , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - $IC_{50}$ , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate Alcohols, C8-10, ethers with polyethylene-polypropylene glycol
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 48 hours, (Daphnia magna): 1,919 mg/l - $EC_{50}$ , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering $LC_0 / 48$ h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - $LC_{50}$ , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - $EC_{50}$ , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - $LC_{50}$ , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether:
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 96 hours, dgae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering $LC_0$ / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - $LC_{50}$ , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - $EC_{50}$ , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - $IC_{50}$ , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether: - $IC_{50}$ , inhibition of bacteria: 4900 mg/l
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 48 hours, (Daphnia magna): 1,919 mg/l - $EC_{50}$ , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering $LC_0$ / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - $LC_{50}$ , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - $EC_{50}$ , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - $IC_{50}$ , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether: - $IC_{50}$ , 48 hours, (Daphnia magna): 6,3 mg/l
11.2.2 <b>12.</b>	Other information Section 12: Ecological information Toxicity	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $EC_{50}$ , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering $LC_0 / 48$ h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - $LC_{50}$ , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - $EC_{50}$ , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - $IC_{50}$ , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether: - $IC_{50}$ , inhibition of bacteria: 4900 mg/l
11.2.2 12. 12.1	Other information Section 12: Ecological information Toxicity Acute toxicity for water organisms:	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l - EC <sub>50</sub> , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering LC <sub>0</sub> / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - LC <sub>50</sub> , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - EC <sub>50</sub> , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - C5 <sub>50</sub> , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether: - IC <sub>50</sub> , 48 hours, (Daphnia magna): 6,3 mg/l - NOEC, Daphnia magna, 48 h: 3,1 mg/l Biodegradability of surfactants in the mixture meets the requirements of Regulation EC 648/2004. Due to the high water solubility is bioaccumulation in organisms
11.2.2 <b>12.</b> 12.1	Other information Section 12: Ecological information Toxicity Acute toxicity for water organisms: Persistence and degradability:	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms. - $LC_{50}$ , 96 hours, fish (Pimephales promelas): > 10000 mg/l - $LC_{50}$ , 48 hours, (Daphnia magna): 1,919 mg/l - $EC_{50}$ , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering $LC_0$ / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - $LC_{50}$ , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - $EC_{50}$ , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - $IC_{50}$ , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether: - $IC_{50}$ , 48 hours, (Daphnia magna): 6,3 mg/l - $NOEC$ , Daphnia magna, 48 h: 3,1 mg/l Biodegradability of surfactants in the mixture meets the requirements of Regulation EC 648/2004. Due to the high water solubility is bioaccumulation in organisms unlikely.
11.2.2 <b>12.</b> 12.1	Other information Section 12: Ecological information Toxicity Acute toxicity for water organisms: Persistence and degradability:	None For the mixture not determined for individual ingredients: (2-methoxymethyl-ethoxy)propanol: The substance is not classified as hazardous to aquatic organisms LC <sub>50</sub> , 96 hours, fish (Pimephales promelas): > 10000 mg/l - LC <sub>50</sub> , 48 hours, (Daphnia magna): 1,919 mg/l - EC <sub>50</sub> , 96 hours, algae (Selenastrum capricornutum): > 969 mg/l tetrasotassium pyrophosphate: water hazard class 1 - slightly water endangering LC <sub>0</sub> / 48 h Golden orfe 750 mg/l Sodium metasilicate, pentahydrate: - LC <sub>50</sub> , 96 hours, fish: 3185 mg/l (analogies with sodium silicate) - EC <sub>50</sub> , 48 hours, invertebrates: 4857 mg/l (analogies with sodium silicate) - C5 <sub>50</sub> , 72 hours, algae: > 1000 mg/l (analogies with sodium silicate) Data for the component: disodium metasilicate pentahydrate Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether: - IC <sub>50</sub> , 48 hours, (Daphnia magna): 6,3 mg/l - NOEC, Daphnia magna, 48 h: 3,1 mg/l Biodegradability of surfactants in the mixture meets the requirements of Regulation EC 648/2004. Due to the high water solubility is bioaccumulation in organisms

		(2-methoxymethyl-ethoxy)propanol: Potential for mobility in soil is very high (Koc between 0 and 50). Due to very low Henry's constant	
		(estimated at 1,6 x 10-7 m3 / mol), volatilization from natural bodies of water or moist soil is not expected to be significant for	
		environmental cycles. Partition coefficient n-octanol / water (log Pow): 0,35 (estimated). Partition coefficient soil organic carbon / water (Koc): 0,28 (estimated).	
		For the other components are no data available.	
12.5	Results of PBT and vPvB	The mixture does not meet the criteria for classification as PBT or vPvB.	
12.6	Features causing disruption of endocrinal systém	Unknown for this mixture	
12.7	Other adverse effects:	See Section 2	
	Additional data:	Water hazard class 1. Low water hazard (Self-assessment). The product must not leak to surface and groundwater. Notify competent authorities immediately in case of an accident.	
13.	Section 13: Disposal considerations		
13.1	Methods of waste management:		
	a) Appropriate methods of substance, mixture and contaminated packaging disposal: Proceed in accordance with applicable regulations. Do not mix with household waste. Diluted with plenty of water. Discharge into the sewer is permitted after neutralization under conditions laid dowr by water authorities.		
	b) Physical / chemical properties that can affect means of waste handling: Liquid mixture is completely miscible with water. c) Avoidance of disposal through sewer: Discharge into the sewer is permitted according to the conditions laid down by water authorities.		
	d) Special precautions for the recommended waste management:	•	
	Examples of classification according to the Waste Catalog:	Unused product - 160305 Organic wastes containing dangerous substances. Category N	
		Used preparation - classifies the waste generator according to the legislation on the basis of the properties of the generated waste. May be classified as 110113 Degreasing wastes containing dangerous substances. Category N.	
		It may be classified as 070699 Wastes from the MFSU of fats, lubricants, soaps, detergents, disinfectants and cosmetics. Wastes not otherwise specified. Category N Contaminated packaging - 150110 Packaging containing residues of	
		or contaminated by dangerous substances. Category N	
14.	Section 14: Transport information		
14.1	UN number or ID number Required shipping label:	Not specified	
	ADR/RID/ADN:	Not specified	
	IMDG:	Not specified	
	ICAO TI:	Not specified	
14.2	Proper name of the United Nations for the shipment		
	ADR/RID/ADN:	Not specified	
	IMDG:	Not specified	
14.3	ICAO TI: Transport hazard class(es):	Not specified	
	ADR/RID/ADN:	Not specified	
	IMDG:	Not specified	
	ICAO TI:	Not specified	
14.4	Packing group:		
	ADR/RID/ADN:	Not specified	
	IMDG:	Not specified	
	ICAO TI:	Not specified	
14.5	Environmental hazards:	Not specified	
	Special precautions for user:	See Section 8 Not specified	
14.6		NOT SDECITIED	
	Special provisions (ADR): Naval mass-transport according to instrumenst IMO:		
14.6 14.7	Special provisions (ADR): Naval mass-transport according to instrumenst IMO: Notes:	Not applicable None	

15.Section 15: Regulatory information15.1Safety, health and environmental regulatory

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals establishing a European Chemicals Agency, as amended Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 (CLP) as amended Commision directive (EU) No. 878/2020 EH40/2005 Workplace exposure limits (second edition, published 2011). Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations (as amended) 15.2 Assessment chemical safety of mixture: Were not performed Section 16: Other informations Information stated in this safety data sheet is based on the current knowledge of EU legislation. It is recommendation in terms of health and safety as well as recommendation related to ecological matters that are essential to safe usage of the product. a) New edition. b) key or legend for abbreviations and accronyms used in the safety data sheet: The lethal dose for 50 % mortality of the test population relative to a control sample. LD50 Lethal concentration for 50 % mortality of the test population relative to a control sample. LC<sub>50</sub> EC<sub>50</sub> Effective concentration for 50 % mortality of the test population relative to a control sample. EC10 Effective concentration for 10 % mortality of the test population relative to a control sample. Inhibitory concentration to reduce the growth or growth rate of 50% of the test population relative to a control sample. IC<sub>50</sub> LL<sub>50</sub> Lethal loading doses of test substance resulting in 50% mortality  $EL_{50}$ Effective loading doses of test substance resulting in 50% mortality PBT Persistent, bioaccumulative and toxic substances. vPvB Very persistent and very bioaccumulative substances. DNEL Derived No Effect Level - derived concentration of the substance without adverse effects DMEL Derived Minimum Effect Level - derived minimum level at which the adverse effects NOAFI No Observed Adverse Effect Level - no negative effect was observed PNEC Predicted No Effect Concentration - an estimate of the concentration of the substance without adverse effects NOELR No Observed Effect Loading Rate - dosage rate without observed effect NOFC No Observed Effect Concentration - concentration without observed effect NOEL No Observed Effect Level - level without observed effect LOEC Lowest Observed Effect Concentration - lowest concentrations with observable effects ADR European Agreement concerning the international carriage of dangerous goods by road. RID Regulations concerning the international carriage of dangerous goods by rail.

- IMDG International maritime code of dangerous goods.
- ICAO The International Civil Aviation Organization.
- ΙΑΤΑ International Air Transport Association.
- GHS Globally Harmonized System of Classification and Labelling of Chemical substances.

c) important references to literature and data sources

Initial data sources are safety data sheets of the inherent (components).

d) in case of mixture, statement about evaluation method used for classification according to article 9 of directive (ES) number 1272/2008 For evaluation purposes, principles of extrapolation were used. Calculation methods.

- e) List of H-sentences, whose full form is not listed in other parts.
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

Guidelines for training:

16.

As required by national legislation.

Recommended restrictions on use (i. e. non-statutory recommendations by supplier):

Product should not be used for other purposes than specified (see section 1.2). Because specific conditions of use are beyond supplier's control it is responsibility of the user to adapt notifications to local law and regulations. Safety information describe the product with regard to safety and can not be considered technical information about the product.

First edition.