		SAFETY DATA SHEET		
ac	cording to	regulation of Europian parliament and Coun according Committee regulation (EU) numb		AUSTIS
	of Issue:	10. 05. 2024	Version number: 1	No. of pages: 8
	on date: ct name:	ETERNAL NA BAZÈNY	Replaces version: -	
1.	Section 1:	Identification of substance/mixture and of the company/	-	
1.1	Product ide		ETERNAL NA BAZÉNY	
	UFI code:	t is not a nanoform, nor does it contain any nanoforms.	not relevant	
1.2		entified uses of the substance or mixture and uses advised a		
1.2.1		entified use:	gano.	
	Life cycle p		PW (wide use by professionals - I	basic)
			C (consumer use)	
	Usage Nam	ie:	SU0	
	-	e description:	coating material	
	Market des	•	PC9a; PC15	
	Contributing	g Activity Name:	roller or brush application	
	Contributing	g activities descriptor:	non-industrial spraying techniques PROC10	S
	Contributing		PROC11	
	More inform	nation:	technical function of the product in this use:	n coating material
			quantity to use:	10 - 100 t / yr
			Regulatory status by use:	No
			a limited number of devices for this use:	No
			the subsequent period of use relevant to this use:	24 months
			an overview of environmental release categories for each life cycle stage:	ERC2; ERC8c; ERC8f; ERC10a; ERC11a
			supplied as a mixture	
1.2.2	Uses advise	ed against:	all other uses	
1.3	Details of th	ne supplier of the safety data sheet:		
	Producer an	nd supplier:	AUSTIS a. s.	
	Adress:		K Austisu 680, 154 00 PRAHA	5 - Slivenec
	Telephone	number:	+420 251 099 111 +420 251 099 112	
	Fax: e-mail		austis@austis.cz	
1.4		telephone number:	+420 251 099 247	+420 725 491 378
	Centre of th	ne Toxicologicaly information Na Bojišti 1, 120 00 Prague 2,	Tel.: +420 224 919 293	
	CZ			
2.	Section 2:	Hazard identification		
2.1	Classificatio	on of the substance or mixture		
	Classificatio	on under Regulation 1272/2008/EU	not classified	
2.2	Label eleme	ents		
	Symbols:		No symbols is used	
	Signal word	l: a hazardous substance:	No signal word is used	
	Hazard Stat		Not Assigned Not Assigned	
		ary Statement:	Not Assigned	
2.3	Other haza	-	The mixture does not meet criteria	a to be classified as PBT or vPvB
			substances. The mixture is not er contain any.	
	Other risks:		EUH208: It contains a reaction m number: 613-167-00-5]. May caus	
3.	Section 2	Composition / information on ingredients		
5.		f an aqueous dispersion of acrylic resins, pigments, fillers an	d additives.	
3.2	Mixtures			

	Chemical name:		2-(2-butoxyethoxy)ethanol
	Content [%]:		< 2,6
	Index number:		112-34-5
	CAS:		203-961-6
	EC number (EINECS):		603-096-00-8
	REACH Registration number:		01-2119475104-44-00XX
	Classification according to Directive 1272/2008/EU:		Eye Irrit. 2; H319
	Specific concentration limits, M-factors:		Not Assigned
			Established Exposure limit EH40/2005 (WELs)
	Chemical name:	1-methylpyrrolidin-2-one	Mixture CMIT/MIT (3:1)
	Content [%]:	≤ 0,15	< 0,0015
	Index number:	606-021-00-7	613-167-00-5
	CAS:	872-50-4	55965-84-9
	EC number (EINECS):	212-828-1	911-418-6
	REACH Registration number:	01-2119472430-46-0XXX	01-2120764691-48-0XXX
	Classification according to Directive 1272/2008/EU:	Repr. 1B; H360D	Acute Tox. 2: H330
		Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315	Acute Tox. 2; H310 Acute Tox. 3; H301 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071
	Specific concentration limits, M-factors:	STOT SE 3; H335: C ≥ 10 %	Skin Corr. 1C; H314: $C \ge 0,6 \%$ Eye Dam. 1; H318: $C \ge 0,6 \%$ Skin Irrit. 2; H315: $0,06 \% \le C < 0,6 \%$ Eye Irrit. 2; H319: $0,06 \% \le C < 0,6 \%$ Skin Sens. 1A; H317: $C \ge 0,0015 \%$ M = 100 (acute) M = 100 (chronic)
	Note:	titanium dioxide according to An	nium dioxide. The classification of nex VI (as per Regulation (EC) No iament and of the Council) does not
		apply to this mixture according to	,
	Full text of H - phrases in Section 16		
4.	Section 4: First aid measures		
4.1	Description of first aid measures When providing first aid it is necessary to ensure safety of both victi must be kept in mental and physical rest. Victim must be kept warm sheet with information about substance or mixture with you in case of Inhalation: Break exposure, move to fresh air protecting the victim fr	and must not get chilled. Take original of medical examination.	container with label or safety data
	breath or other symptoms persist. When on skin: Put away contaminated clothes and shoes, wash the		water; if the skin is not irritated, soap
	can be used; seek doctor's advice, especially if the skin stays irritate Eye Contact: Rinse eyes with plenty of water (10 to 15 min). Keep e		If the victim is wearing contact
	Ienses remove them immediately. Seek medical attention. Ingestion: Do not induce vomiting! Drink at least 0.5 liters of water w Toxicology Information Centre for need of medical treatment with inf SDS.		
4.2	Most important symptoms and effects, both acute and delayed		
	The product may have adverse effects through inhalation and if swa	llowed. It can irritate skin, mucous mer	
4.3	Indication of any immediate medical attention and special treatment	needed:	Symptomatic treatment
5.	Section 5: Fire-fighting measures		
5.1	Extinguishing media		
	Suitable extinguishing media: The product is not inflammable. Wate		de, dry powder.
	Unsuitable extinguishing media: The strong water current. It can be	•	
5.2	Specific danger linked to the substance or mixture: Carbon monoxid	e and dioxide and carbon black can be	produced while burning.
5.3	Advice for firefighters: wear a breathing apparatus and protective clo	othing.	

6.	Section 6: Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures:	Appropriate protective gloves, gog	gles, appropriate clothing, or
611	respirator.	a in according to accidental anill and los	ak of outpotonoo, or mixturo.
6.1.1	For workers except for those intervening in emergency cases - instruction a) use of appropriate protection (including personal protective equipment clothing contamination;	•	
	b) removing possible sources of ignition, providing proper ventilation, con	trol of dust - not relevant	
	c) emergency measures, for example necessary evacuation from danger		pert - not relevant
6.1.2	For workers intervening in emergency cases - instructions for appropriate		•
6.2	Environmental precautions: Prevent environmental pollution - leakage into		,
6.3	Methods and materials for limitation of leaks and for cleaning:		
6.3.1	Instructions for leak limitation of spilled substance or mixture		
	a) enclose the spilled mixture, cover the canalization;		
	b) seal the damaged package		
6.3.2	Instructions for removal of spilled substance or mixture		
	Absorb with appropriate agent, hand over to authorized person for dispose	al.	
6.4	Reference to other sections: See also section 7., 8 and 13.		
7.	Section 7: Handling and storage		
7.1	Measures for safe manipulation:		
7.1.1	Recomendations:		
	 a) Workers handeling the product have to get familiar with health and safe (enclosing of leaked mixture, sealing of demaged packages and so on), for on) and limit the production of aerosol and dust. 	5	•
	b) Obey measures for prevention of manipulation with incompatible subst		
	c) Store in original closed packages in temperature from +5 to +25 °C, do expose to direct sunlight or other heat sources.		
740	d) Prevent the contamination of environment, i.e. leak into canalization, so	urface or underground water and s	011.
7.1.2	Instructions for general hygiene of work: a) Do not eat, drink or smoke on work areas.		
	b) After working with product wash your hands with soap and water, even	tualy use regeneration hand cream	
	c) Before entering dining areas, remove contaminated clothing and protect		1.
7.2	Conditions for safe storage of substances and mixtures including incompa		ore in dry and well-ventilated
	storages in original closed packages in temperatures from +5 to +25 °C, or not expose to direct sunlight or other heat sources. Prevent any contact w food, drinks and feed. The product is not a flamable liquid according to Č	do not expose to temperature unde vith oxidazing substances, strong a	er 0 °C (not even in short term). Do
7.3	Specific end use: see part 1.2; coating procedure and recomendations are documentation.		uct, or in other product
8.	Section 8: Exposure controls / personal protection		
8 .1	Control parameters:		
0.1	Exposure limits EH40/2005 (WELs):		
	Chemical name:	2-(2-butoxyethoxy)ethanol	1-methylpyrrolidin-2-one
	CAS:	112-34-5	872-50-4
	Long-term exposure limit [mg/m³] (TWA/8 h)	67,5 (10 ppm)	40 (10 ppm)
	Short-term exposure limit [mg/m ³] (15 minut)	101,2 (15 ppm)	80 (20 ppm)
	Note:	Not Assigned	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
	2-(2-butoxyethoxy)ethanol [ES: 203-961-6]:	2	
	DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	ý - G	
	DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)	101,2 mg/m ³	
	DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	83 mg/kg bw/day	
	NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects,		
	Long term exposure) DNEL (General Population, Hazard via inhalation route, Systemic effects, DNEL (General Population, Hazard via inhalation route, Systemic effects,		
	Acute/short term exposure) DNEL (General Population, Hazard via initialition route, Systemic effects,	60,7 mg/m° 50 mg/kg bw/day	
	Long term exposure)	se mana smaay	

	NOAEL (General Population, Hazard via dermal route, Systemic effects, Long term exposure)	2000 mg/kg bw/day	
	DNEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	5 mg/kg bw/day	
	NOAEL (General Population, Hazard via oral route, Systemic effects, Long term exposure)	200 mg/kg bw/day	
	PNEC aqua (freshwater)	1,1 mg/L	
	PNEC aqua (marine water)	0,11 mg/L	
	PNEC STP	200 mg/L	
	PNEC sediment (freshwater)	4,4 mg/kg sediment dw	
	PNEC sediment (marine water)	0,44 mg/kg sediment dw	
	PNEC soil	0,32 mg/kg soil dw	
	PNEC oral (Hazard for predators)	56 mg/kg food	
	1-methylpyrrolidin-2-one [ES: 212-828-1]:		
	DNEL (Workers, Hazard via inhalation route, Systemic effects, Long term exposure)	40 mg/m ³	
	DNEL (Workers, Hazard via inhalation route, Systemic effects, Acute/short term exposure)	80 mg/m ³	
	DNEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	19,8 mg/kg bw/day	
	NOAEL (Workers, Hazard via dermal route, Systemic effects, Long term exposure)	237 mg/kg bw/day	
	DNEL (Workers, Hazard via dermal route, Systemic effects, Acute/short term exposure)	208 mg/kg bw/day	
	NOAEL (Workers, Hazard via dermal route, Systemic effects, Acute/short term exposure)	2500 mg/kg bw/day	
	PNEC aqua (freshwater)	0,25 mg/L	
	PNEC aqua (marine water)	0,025 mg/L	
	PNEC STP	10 mg/L	
	PNEC sediment (freshwater)	1,42 mg/kg sediment dw	
	PNEC sediment (marine water)	0,142 mg/kg sediment dw	
	PNEC soil	0,138 mg/kg soil dw	
	PNEC oral (Hazard for predators)	2 mg/kg food	
8.2	Exposure controls		
	Ensure adequate ventilation. Ensure protective equipment is worn while w after thorough cleaning. Wash your hands and face with soap and water a	5 I	
8.2.1	Appropriate engineering controls: Observe the usual precautions to protect	t the health and well-ventilated.	
8.2.2	Individual protection measures, such as personal protective equipment:		
	Occupational exposure is governed by Directive 89/686/EEC therefore an this Regulation.	y use of personal protective equipment must be in accordance with	
	a) Eyes and face protection: Suitable safety goggles (EN 166), face shiled.b) Skin protection: Common safety clothing with long sleave and shoes; take of the contaminated clothing and wash your skin with soap and water.		
	b-1) Hands protection: suitable protective gloves (made from rubber - acc	ording to EN 374), wash your hands with soap and water after work,	
	c) Airways protection: with proper area ventilation not required. When spra quarter-shiled with gass filter (EN 140, EN 141).	aying, face half-shiled is recomended for gass filtration (EN 405) or	
	d) Heat hazard: Special attention must be paid to construction of personal		
	protection against materials, which are considered to be heat hazard. Not		
8.2.3	Environmental exposure controls: Avoid infiltration of surface and ground	vater and soil.	
_	• · · • • · · · · · · · ·		
9.	Section 9: Physical and chemical properties		
9.1.	Information on basic physical and chemical properties		
	a) State	viscous liquid	
	b) Color	color shown on the cover	
	c) Odour:	characteristic of acrylic dispersion	
	Odor threshold:	Not specified	
	d) Melting/Freezing point (temperature range) (°C):	approximately 0	
	e) Boiling point or initial boiling point and boiling range (°C)	approximately 100	
	f) Combustibility:	non-flammable liquid	
	f) Combustibility:g) Explosion limints: upper limit (% volume):	Not specified	
		Not specified Not specified	
	g) Explosion limints: upper limit (% volume):	Not specified Not specified Not specified	
	g) Explosion limints: upper limit (% volume): lower limit (% volume):	Not specified Not specified Not specified	
	g) Explosion limints: upper limit (% volume): lower limit (% volume):h) Point of ignition:	Not specified Not specified Not specified Not specified	
	 g) Explosion limints: upper limit (% volume): lower limit (% volume): h) Point of ignition: i) Temperature of self-ignition: 	Not specified Not specified Not specified	

	m) Solubility (23 °C)	
	- with water:	unlimited miscibility
	- with fats:	Not specified
	n) Partition coefficient n - octanol/water:	Not specified
	o) Steam pressure (20 °C):	2,3 kPa
	p) Density and/or relative density (20 °C):	approximately 1,26 g.cm ⁻³
	q) Relative viscosity of steam (at °C):	Not specified
	r) Particles characteristics:	Not specified
.2	Other information:	
.2.1	Information about class of physical hazard:	is not relevant
.2.2	Other safety characteristics	
	Evaporation rate:	Not specified
	, Dynamic viscosity:	Not specified
	Explosive properties:	Not specified
	Oxidizing properties:	Not specified
	VOC (g/L):	78,5
	(g, z).	
0.	Section 10: Stability and reactivity	
	Product is stable under recommended storage and handling conditions.	
0.1	Reactivity: Product is not reactive under recommended storage and hand	ling conditions.
0.2	Chemical stability: Product is stable under recommended storage and har	ndling conditions.
0.3	Possibility of hazardous reactions: In case of contact with substances rea	cting dangerously with water.
0.4	Conditions to avoid: Temperatures below 0 °C and above 100 °C cause d	
	temperature reduce life of the product.	
0.5	Incompatible materials: Substances reacting with water.	
0.6	Hazardous Decomposition Products: Carbon monoxide and dioxide and c	arbon black may form during burning.
1.	Section 11: Toxicological information	
1.1	Information about hazard classes acording to (ES) č. 1272/2008	
	a) acute toxicity:	the classification cirteria are not met based on avilable information
	- LD ₅₀ , oral, rat (mg.kg ⁻¹):	the classification cirteria are not met based on avilable information
	- LD ₅₀ , dermal, rat or rabbit (mg.kg ⁻¹):	the classification cirteria are not met based on avilable information
	- LC ₅₀ , inhalation, rat, for aerosols or particles (mg.kg ⁻¹):	the classification cirteria are not met based on avilable information
	- LC ₅₀ , inhalation, rat, for gases and vapours (mg.kg ⁻¹):	the classification cirteria are not met based on avilable information
	b) corrosivity/skin irritation:	the classification cirteria are not met based on avilable information
	c) serious eye damage / eyes irritation:	the classification cirteria are not met based on avilable information
	d) sensitivity of airways / sensitivity of skin:	the classification cirteria are not met based on avilable information
	e) germ cells mutagenicity:	the classification cirteria are not met based on avilable information
	f) carcinogenicity:	the classification cirteria are not met based on avilable information
	g) toxicity for reproduction:	the classification cirteria are not met based on avilable information
	h) toxicity for specific organs - single exposure:	the classification cirteria are not met based on avilable information
	i) toxicity for specific organs - multiple exposures:	the classification cirteria are not met based on avilable information
	j) hazards while inhaled:	the classification cirteria are not met based on avilable information
	Human experience:	No detrimental effects were found upon compliance with the
		prescribed safety measures.
	Tests on animals:	Were not performed
1.1.1	Information for each hazard class or breakdown:	see above
1.1.2	Toxicological properties of mixture	not avilable
		see part 8
	[ES: 212-828-1]	
1.1.3	If enough information from substance/mixture trials exist, it might be	not relevant
	necessary to sum up results of used studies, for example according to	
	exposure run	
1.1.4	If the classification criteria are not met for specific hazard class,	relevant concentration limits were not exceeded
	information explaining the justification should be stated.	.
	Information about likely exposure run	no effects on human health are known
1.1.6	Symptoms corresponding to physical, chemical and toxicological features	no effects on human health are known
1.17	Belated and immediate effects and chronical effects of short/long term	no effects on human health are known
1.1.1	exposure	
1.1 8	Interactive effects	unknown
	Lack of specific data	not relevant
	(Mixtures	see part 8
1.1.1	Mixtures information compared to substance information	
	1) Substances in the mixture can react with each other inside of a body ar	no can cause different levels of absorption, metabolism and secretion
	5/8	SDS 06/2024

11.2 11.2.1 11.2.2	 2) It is necessary to consider, if concentration of each substance is sufficient a) if the information are doubled, they are listed only once for a substance as a whole, for example when two different substances are causing vomiting and diarrhea; b) if it is not likely the effects will appear with current concentrations, for example when weak irritating substance is disolved in non-irritating solution to a level under certain concentration; c) if the information about mutual effects of substances in the mixture are unavilable, no assumptions will be listed and instead effects on health of each substance will be listed. 2) Other information Other hazards information Features causing disruption of endocrinal systém Additional data: 	Not relevant for this mixture. Not relevant for this mixture.
12.	Section 12: Ecological information	
12.1	Toxicity	
	Acute toxicity for water organisms:	
	- LC ₅₀ , 96 hours, fish (mg/kg):	Not set
	- LC ₅₀ , 48 hours, fish (mg/kg):	Not set
	- IC ₅₀ , 72 hours, algae (mg/kg):	Not set
12.2	Persistence and degradability:	Not set
12.3	Bioaccumulative potential:	Not set
12.4	Mobility in soil:	It was not determined, the blend is miscible with water.
12.5	Results of PBT and vPvB	The mixture does not meet the criteria for classification as PBT or vPvB.
12.6	Features causing disruption of endocrinal systém	Unknown for this mixture
12.7	Other adverse effects:	See Section 2
	Additional data:	The product must not leak to surface and groundwater. Notify competent authorities immediately in case of accident.
13.	Section 13: Disposal considerations	
13.1	Methods of waste management:	
	 (a) Appropriate methods of disposal of the substance or mixture and cont Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deepl com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of 	 (as amended). Place the unused product and contaminated to soal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains.
14.	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deepl com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information	 (as amended). Place the unused product and contaminated to solve an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes.
	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deepl_com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number	 (as amended). Place the unused product and contaminated to soal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains.
14.	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeenL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label:	 (as amended). Place the unused product and contaminated to solve to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes.
14.	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deepl com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN:	 (as amended). Place the unused product and contaminated losal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specified
14.	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeenL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG:	 (as amended). Place the unused product and contaminated to solve to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specified Not specified
14. 14.1	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deepl com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI:	 (as amended). Place the unused product and contaminated losal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specified
14.	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deepl_com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment	 (as amended). Place the unused product and contaminated nosal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specified Not specified Not specified
14. 14.1	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeenL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN:	 (as amended). Place the unused product and contaminated posal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified
14. 14.1	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deepl_com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment	 (as amended). Place the unused product and contaminated nosal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specified Not specified Not specified
14. 14.1	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeenL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN:	 (as amended). Place the unused product and contaminated posal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified
14. 14.1	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeenL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG:	 (as amended). Place the unused product and contaminated nosal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified
14. 14.1 14.2	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deepl com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI:	 (as amended). Place the unused product and contaminated nosal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified
14. 14.1 14.2	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeepL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI: Transport hazard class(es):	(as amended). Place the unused product and contaminated tosal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not spec
14. 14.1 14.2	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeepL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI: Transport hazard class(es): ADR/RID/ADN:	 (as amended). Place the unused product and contaminated nosal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specif
14. 14.1 14.2 14.3	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deenl com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI: Transport hazard class(es): ADR/RID/ADN: IMDG: ICAO TI:	 (as amended). Place the unused product and contaminated nosal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified
14. 14.1 14.2	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deenl com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI: Transport hazard class(es): ADR/RID/ADN: IMDG: ICAO TI: Prasport hazard class(es): ADR/RID/ADN: IMDG: ICAO TI: Praking group:	 (as amended). Place the unused product and contaminated nosal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specif
14. 14.1 14.2 14.3	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www Deenl com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI: Transport hazard class(es): ADR/RID/ADN: IMDG: ICAO TI: Praking group: ADR/RID/ADN:	 (as amended). Place the unused product and contaminated to solve to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified
14. 14.1 14.2 14.3	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeenL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI: Transport hazard class(es): ADR/RID/ADN: IMDG: ICAO TI: Packing group: ADR/RID/ADN: IMDG:	(as amended). Place the unused product and contaminated losal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specified
14. 14.1 14.2 14.3 14.4	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeenL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI: Transport hazard class(es): ADR/RID/ADN: IMDG: ICAO TI: Packing group: ADR/RID/ADN: IMDG: ICAO TI: Packing group: ADR/RID/ADN: IMDG: ICAO TI: Packing group: ADR/RID/ADN: IMDG: ICAO TI:	(as amended). Place the unused product and contaminated losal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specified
14. 14.1 14.2 14.3	Waste Act (as amended) and the applicable Waste Disposal Regulations packaging in marked waste collection containers and hand it over for disp authorised to do so. Do not dispose of unused product down the drain. It be used for energy recovery in a waste incinerator (except for metal) or di cleaned packaging may be handed over for recycling. Always comply with Translated with www DeenL com/Translator (free version) b) Physical / chemical properties that can affect means of waste handling c) Avoidance of disposal through sewer: It is necessary to prevent leakag d) Special precautions for the recommended waste management: Avoid of Section 14: Transport information UN number or ID number Required shipping label: ADR/RID/ADN: IMDG: ICAO TI: Proper name of the United Nations for the shipment Ground transport ADR/RID/ADN: Naval transport IMDG: Air transport ICAO TI: Transport hazard class(es): ADR/RID/ADN: IMDG: ICAO TI: Packing group: ADR/RID/ADN: IMDG:	(as amended). Place the unused product and contaminated losal to an authorised waste disposal person (specialised company) must not be disposed of with municipal waste. Empty packaging may sposed of in a landfill of the appropriate classification. Completely in the relevant national legislation! : Liquid mixture is completely miscible with water. e of both components and hardened mixture into drains. contact with skin and eyes. Not specified Not specified

	Special p	rovisions (ADR):	Not specified			
4.7	Naval ma	ass-transport according to instrumenst IMO:	Not applicable			
	Notes:		None			
	Additiona	ıl data:	None			
.	Section	Section 15: Regulatory information				
5.1	-	ealth and environmental regulations/legislation specific				
	Regulation of the European Parliament and Council Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and					
	Restriction of Chemicals establishing a European Chemicals Agency, as amended					
	Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 (CLP) as amended					
	Commision directive (EU) No. 878/2020 EH40/2005 Workplace exposure limits (second edition, published 2011). Containing the list of workplace exposure limits for use with the Contr					
		ances Hazardous to Health Regulations (as amended)	a 2011). Containing the list of workplace exposure limits for use with the Con			
5.2		ent chemical safety of mixture:	Were not performed			
).	Section 16: Other informations					
	Information stated in this safety data sheet is based on the current knowledge of EU legislation. It is recommendation in terms of health and safety as well as recommendation related to ecological matters that are essential to safe usage of the product.					
	a) New edition.					
	h) key or	legend for abbreviations and accronyms used in the sa	fety data sheet			
	, .	The lethal dose for 50 % mortality of the test populat	-			
	LD ₅₀	Lethal concentration for 50 % mortality of the test populat				
	LC ₅₀ EC ₅₀	Effective concentration for 50 % mortality of the test po				
	EC ₅₀ EC ₁₀	Effective concentration for 10 % mortality of the test				
		-	th rate of 50% of the test population relative to a control sample.			
	IC ₅₀					
		Lethal loading doses of test substance resulting in 50	-			
	PBT					
		/PvB Very persistent and very bioaccumulative substances.				
	DNEL					
	NOAEL PNEC					
	NOELR					
	NOEC					
	NOEL					
	LOEC					
	ADR	European Agreement concerning the international carriage of dangerous goods by road.				
	RID	Regulations concerning the international carriage of dangerous goods by rail.				
	IMDG	International maritime code of dangerous goods.				
	ICAO					
	IATA GHS	International Air Transport Association. Globally Harmonized System of Classification and La	abelling of Chemical substances.			
	c) important references to literature and data sources					
	Initial data sources are safety data sheets of the inherent (components).					
	d) in case of mixture, statement about evaluation method used for classification according to article 9 of directive (ES) number 1272/2008					
	For evaluation purposes, principles of extrapolation were used. Calculation methods.					
	,	H-sentences, whose full form is not listed in other parts	ð.			
	H301	Toxic if swallowed.				
	H310	Fatal in contact with skin.				
	H314	Causes severe skin burns and eye damage.				
	H315	Causes skin irritation.				
	H317	May cause an allergic skin reaction.				
	H318	Causes serious eye damage.				
	H319	Causes serious eye irritation.				
	H330	Fatal if inhaled.				
	H335	May cause respiratory irritation				

- H335 May cause respiratory irritation. H360D
 - May damage the unborn child.

H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.EUH071Causes burns to the respiratory tract.

Guidelines for training: As required by national legislation.

Recommended restrictions on use (i. e. non-statutory recommendations by supplier):

Product should not be used for other purposes than specified (see section 1.2). Because specific conditions of use are beyond supplier's control it is responsibility of the user to adapt notifications to local law and regulations. Safety information describe the product with regard to safety and can not be considered technical information about the product.